



PRECISION INDUSTRY CO.,LTD

www.mrm-tools.com

宏銓精密工業有限公司


MR.MONKEY PRECISION INDUSTRY CO., LTD.



41468台中市烏日區溪福路一巷110弄139號
NO.139, Alley 110, Lane 1, Xi Fu Rd., Wuri Dist. Taichung City, 41468 Taiwan
Tel: 886 4 2335 6829 / 2335 6167 Fax: 886 4 2335 5836
Email: hc@screwkey.com.tw



MR.MONKEY
PRECISION
INDUSTRY




宏銓精密工業有限公司
MR.MONKEY PRECISION INDUSTRY CO., LTD.



ABOUT US

www.mrm-tools.com



台灣手工具界生產螺絲起子專用機超過35的年頭的 - 柯同鐵工廠，因應更多元的手工具生產供應鏈，成立「宏銓精密工業有限公司」，其營運內容在於提供各式起子半成品和成品套件組。

傳承並延續公司一貫的研發精神，宏銓投入完善的生產設備，並致力於改良生產製程，使其更加順暢。為追求更精密及高品質的產品，目前已有80%之CNC機台置入生產線上。

宏銓所提供的產品非常廣泛，包含各式起子、螺絲起子、L型板手及相關的工具套件。此乃為了服務客人可以方便性的選擇各類型產品；當然，我們也歡迎OEM或ODM的訂單詢問及特製化的工具組合。

一個成功的企業，我們相信唯有穩固的管理團隊、高技術性工作人員及創新的R&D組合，才能締造佳績。宏銓將持續扮演初生之犢不畏虎的角色，繼續嚴謹的工作態度，相信定能獲得更豐富的成果。



With more than 35 years of screwdriver machine making experience, Mr. Monkey Precision Industry Co., Ltd. the subsidiary company of New Ko Tung Enterprise Co., Ltd. mainly manufacture and operate the semi-finished products and complete hand tool set.

Continuously execute the spirit of innovation; MrM Tools spends the major investment on manufacturing equipment, and focuses on improving the production process. 80 % of the CNC machines are installed to the plant in order to approach more precised and top quality products.

The comprehensive product range are bits, screwdriver, L-key and related accessories, makes easier to meet customers' needs and MrM Tools always welcome any kind of OEM/ODM orders with our innovative design hand tool sets.

Linking to successful business, we believe strengthen management team, skilled workforce and innovative R&D group are the essential elements. MrM Tools will play the role as the new born cattle fears none and keep conscientious work attitude in the hand-tool industry for a fruitful future.

CONTENTS

| | |
|--------------------|-----------|
| BITS SERIES | 02 |
| L-KEY | 28 |
| BITS | 33 |
| ADAPTERS | 62 |
| NUTSETTERS | 64 |
| BIT HOLDERS | 67 |

SUPER LOCK

PRODUCT PATENT



USA



JAPAN



GERMANY




TAIWAN




RUSSIA



CHINA



CANDY BOX



| Tool in Pack | MRM TOOLS MOBILITY WORKS

BIT MATERIAL : S2
BOX MATERIAL : PC,TPR,ABS



| MBT32KS25E01S | | 32 |
|----------------------|---|-----------|
| Contents | Size | Pcs |
| BITS | 1/4" x 25mm | 30 |
| ⊕ PHILLIPS | #1*1, #2*2, #3*1 | 4 |
| ⊕ POZI | #1*1, #2*2, #3*1 | 4 |
| ⊖ SLOTTED | #3, #4, #5, #6 | 4 |
| ⬢ HEX | #3, #4, #5, #6 | 4 |
| ★ STAR | T10, T15, T20, T25, T27, T30, T40 | 7 |
| ⬢ STAR TAMPER | TT10, TT15, TT20, TT25, TT27, TT30, TT40 | 7 |
| BIT HOLDER | Slim Quick release Dr. 1/4" 65mm | 1 |
| ADAPTER | 1/4" 25mm | 1 |
| | Small super lock | 1 |
| | Medium super lock | 1 |
| | Big super lock | 1 |



| MBT49KM25E01S | | 49 |
|----------------------|--|-----------|
| Contents | Size | Pcs |
| BITS | 1/4" x 25mm | 48 |
| ⊕ PHILLIPS | #1 x 3, #2 x 3, #3 x 3 | 9 |
| ⊕ POZI | #1 x 3, #2 x 3, #3 x 3 | 9 |
| ⊖ SLOTTED | #4 x 2, #5 x 2, #6 x 2 | 6 |
| ⬢ HEX | #3, #4, #5 | 3 |
| ★ STAR | T10 x 2, T15 x 2, T20 x 2, T25 x 2, T27 x 2, T30 x 2, T40 x 2 | 14 |
| ⬢ STAR TAMPER | TT10, TT15, TT20, TT25, TT27, TT30, TT40 | 7 |
| BIT HOLDER | Slim Quick release Dr. 1/4" 65mm | 1 |
| | Small super lock | 1 |
| | Medium super lock | 1 |
| | Big super lock | 1 |



| MBT62KL25E01S | | 62 |
|----------------------|---|-----------|
| Contents | Size | Pcs |
| BITS | 1/4" x 25mm | 60 |
| ⊕ PHILLIPS | #1 x 3, #2 x 6, #3 x 3 | 12 |
| ⊕ POZI | #1 x 3, #2 x 6, #3 x 3 | 12 |
| ⊖ SLOTTED | #3 x 1, #4 x 1, #5 x 2, #6 x 2 | 6 |
| ⬢ HEX | #3 x 1, #4 x 1, #5 x 2, #6 x 2 | 6 |
| ★ STAR | T10 x 2, T15 x 2, T20 x 2, T25 x 2, T27 x 2, T30 x 1, T40 x 1 | 12 |
| ⬢ STAR TAMPER | TT10 x 2, TT15 x 2, TT20 x 2, TT25 x 2, TT27 x 2, TT30 x 1, TT40 x 1 | 12 |
| BIT HOLDER | Stainless Magnetic 1/4" 60mm | 1 |
| | Slim Quick release Dr. 1/4" 65mm | 1 |
| | Small super lock | 1 |
| | Medium super lock | 1 |
| | Big super lock | 1 |

AVAILABLE COLORS

- WB
- WR
- WY
- WU
- WG
- RR
- YY
- UU
- GG



TOOL IN PACK



| Tool in Pack | MRM TOOLS MOBILITY WORKS

BIT MATERIAL : S2
BOX MATERIAL : PC,TPR,ABS



MBT71KL2575E01 BOX : 110 x 155 x 35 mm **71**

| Contents | Size | Pcs |
|----------------------|---|-----------|
| BITS | 1/4" x 25 mm | 60 |
| ⊕ PHILLIPS | #1 x 3, #2 x 6, #3 x 3 | 12 |
| ⊕ POZI | #1 x 3, #2 x 6, #3 x 3 | 12 |
| ⊖ SLOTTED | #3 x 1, #4 x 1, #5 x 2, #6 x 2 | 6 |
| ⬢ HEX | #3 x 1, #4 x 1, #5 x 2, #6 x 2 | 6 |
| ★ STAR | T10 x 2, T15 x 2, T20 x 2, T25 x 2, T27 x 2, T30 x 1, T40 x 1 | 12 |
| ⬠ STAR TAMPER | TT10 x 2, TT15 x 2, TT20 x 2, TT25 x 2, TT27 x 2, TT30 x 1, TT40 x 1 | 12 |
| BITS | 1/4" x 75 mm | 9 |
| ⊕ PHILLIPS | #1, #2, #3 | 3 |
| ⊕ POZI | #1, #2 | 2 |
| ⊖ SLOTTED | #4, #6 | 2 |
| ★ STAR | T20, T25 | 2 |
| BITS HOLDER | Quick Release 1/4" x 65 mm | 1 |
| | Stainless Magnetic 1/4" x 60mm | 1 |



MBT62KL25E01 BOX : 110 x 155 x 35 mm **62**

| Contents | Size | Pcs |
|----------------------|---|-----------|
| BITS | 1/4" x 25 mm | 60 |
| ⊕ PHILLIPS | #1 x 3, #2 x 6, #3 x 3 | 12 |
| ⊕ POZI | #1 x 3, #2 x 6, #3 x 3 | 12 |
| ⊖ SLOTTED | #3 x 1, #4 x 1, #5 x 2, #6 x 2 | 6 |
| ⬢ HEX | #3 x 1, #4 x 1, #5 x 2, #6 x 2 | 6 |
| ★ STAR | T10 x 2, T15 x 2, T20 x 2, T25 x 2, T27 x 2, T30 x 1, T40 x 1 | 12 |
| ⬠ STAR TAMPER | TT10 x 2, TT15 x 2, TT20 x 2, TT25 x 2, TT27 x 2, TT30 x 1, TT40 x 1 | 12 |
| BITS HOLDER | Quick Release 1/4" x 65 mm | 1 |
| | Stainless Magnetic 1/4" x 60mm | 1 |

AVAILABLE COLORS

- WB
- WR
- WY
- WU
- WG
- RR
- YY
- UU
- GG



| MSB59KL2575E01 BOX : 110 x 155 x 35 mm | | | 59 |
|--|----------------------------------|--|-----------|
| Contents | Size | | Pcs |
| BITS | 1/4" x 25 mm | | 39 |
| ⊕ PHILLIPS | #1 x 2, #2 x 4, #3 x 2 | | 8 |
| ⊕ POZI | #1 x 2, #2 x 3, #3 x 2 | | 7 |
| ⊖ SLOTTED | #4 x 2, #5 x 2, #6 x 2 | | 6 |
| ⬢ HEX | #4 x 2, #5 x 2, #6 x 2 | | 6 |
| ★ STAR | T10, T15, T20, T25, T30, T40 | | 6 |
| ★ STAR TAMPER | TT10,TT15, TT20, TT25, TT30,TT40 | | 6 |
| ADAPTER | 1/4" x 25 mm | | 1 |
| BITS | 1/4" x 75 mm | | 9 |
| ⊕ PHILLIPS | #1, #2, | | 2 |
| ⊕ POZI | #1, #2 | | 2 |
| ⊖ SLOTTED | #4, #5, #6 | | 3 |
| ★ STAR | T20, T25 | | 2 |
| SOCKET | 5, 6, 7, 8, 10, 11, 12, 13 | | 8 |
| BITS HOLDER | Quick Release 1/4" x 50 mm | | 1 |
| RATCHET | 85 mm | | 1 |



| MSB26KL25E01 BOX : 110 x 155 x 35 mm | | | 26 |
|--------------------------------------|-----------------------------------|--|-----------|
| Contents | Size | | Pcs |
| BITS | 1/4" x 25 mm | | 18 |
| ⊕ PHILLIPS | #1, #2, #3 | | 3 |
| ⊕ POZI | #1, #2, #3 | | 3 |
| ⊖ SLOTTED | #4, #6 | | 2 |
| ★ STAR | T10, T15, T20, T25, T27, T30, T40 | | 7 |
| ■ SQUARE | S-1, S-2, S-3 | | 3 |
| DRYWALL INDENTER PHILIPS | #2 | | 1 |
| NUTSETTER | 1/4, 8, 10, 11, 13 mm | | 5 |
| BITS HOLDER | Quick Release 1/4" x 65 mm | | 1 |
| ADAPTER | 1/4" x 25 mm | | 1 |



| MBT32KL2530E01 BOX : 110 x 155 x 35 mm | | | 32 |
|--|------------------------------|--|-----------|
| Contents | Size | | Pcs |
| BITS | 1/4" x 25 mm | | 17 |
| ⊕ PHILLIPS | #1, #2 | | 2 |
| ⊕ POZI | #1, #2 | | 2 |
| ⊖ SLOTTED | #4, #5.5, #6.5 | | 3 |
| ⬢ HEX | #3, #4, #5, #6 | | 4 |
| ★ STAR | T8, T10, T15, T20, T25, T27 | | 6 |
| BITS | 5/16" x 30 mm | | 14 |
| ⊕ PHILLIPS | #3, #4 | | 2 |
| ⊕ POZI | #3, #4 | | 2 |
| ⊖ SLOTTED | #8, #10 | | 2 |
| ⬢ HEX | #7, #8 | | 2 |
| ★ STAR | T30, T40, T45, T50, T55, T60 | | 6 |
| DOUBLE GEAR WRENCH | 1/4" x 5/16" | | 1 |



| MSB39KL25E01 BOX : 110 x 155 x 35 mm | | | 39 |
|--------------------------------------|-----------------------------------|--|-----------|
| Contents | Size | | Pcs |
| BITS | 1/4" x 25 mm | | 27 |
| ⊕ PHILLIPS | #1 x 1, #2 x 2, #3 x 1 | | 4 |
| ⊕ POZI | #1 x 1, #2 x 2, #3 x 1 | | 4 |
| ⊖ SLOTTED | #4, #5, #6 | | 3 |
| ⬢ HEX | #2, #2.5, #3, #4, #5, #6 | | 6 |
| ★ STAR | T10, T15, T20, T25, T27, T30, T40 | | 7 |
| ■ SQUARE | S-1, S-2, S-3 | | 3 |
| SOCKET | 4, 4.5, 5, 6, 7, 8, 10, 12, 13 | | 9 |
| BITS HOLDER | Quick Release 1/4" x 65 mm | | 1 |
| ADAPTER | 1/4" x 25 mm | | 1 |
| RATCHET | 100 mm | | 1 |

AVAILABLE COLORS

- WB
- WR
- WY
- WU
- WG
- RR
- YY
- UU
- GG



| MBT56KL2550E01 BOX : 110 x 155 x 35 mm | | |
|--|--|-----------|
| Contents | Size | Pcs |
| BITS | 1/4" x 25 mm | 45 |
| PHILLIPS | #1 x 2, #2 x 2, #3 x 2 | 6 |
| POZI | #1 x 2, #2 x 2, #3 x 2 | 6 |
| SLOTTED | #3 x 2, #4 x 2, #5 x 2, #6 x 1 | 7 |
| HEX | #3 x 2, #4 x 2, #5 x 1, #6 x 1 | 6 |
| STAR | T10 x 2, T15 x 2, T20 x 2, T25 x 2, T30 x 1, T40 x 1 | 10 |
| STAR TAMPER | TT10 x 2, TT15 x 2, TT20 x 2, TT25 x 2, TT30 x 1, TT40 x 1 | 10 |
| BITS | 1/4" x 50 mm | 9 |
| PHILLIPS | #1, #2, #3 | 3 |
| POZI | #1, #2 | 2 |
| SLOTTED | #4, #6 | 2 |
| STAR | T20, T25 | 2 |
| BITS HOLDER | Quick Release 1/4" x 65 mm | 1 |
| DRIVER HANDLE | 130 mm | 1 |



| MBT18KL90E02 BOX : 110 x 155 x 35 mm | | |
|--------------------------------------|-----------------------------------|-----------|
| Contents | Size | Pcs |
| BITS | 1/4" x 90 mm | 18 |
| PHILLIPS | #1, #2, #3 | 3 |
| POZI | #1, #2, #3 | 3 |
| SLOTTED | #4, #6 | 2 |
| HEX | #3, #4, #5 | 3 |
| STAR | T10, T15, T20, T25, T27, T30, T40 | 7 |



| MBT18KL90E01 BOX : 110 x 155 x 35 mm | | |
|--------------------------------------|------------------------------|-----------|
| Contents | Size | Pcs |
| BITS | 1/4" x 90 mm | 17 |
| PHILLIPS | #1, #2, #3 | 3 |
| POZI | #1, #2, #3 | 3 |
| SLOTTED | #4, #6 | 2 |
| HEX | #3, #4, #5 | 3 |
| STAR | T10, T15, T20, T25, T30, T40 | 6 |
| BITS HOLDER | Quick Release 1/4" x 65 mm | 1 |



| MBT15N25N01 | | |
|--------------------|----------------------------|-----------|
| Contents | Size | Pcs |
| BITS | 1/4" x 25 mm | 14 |
| PHILLIPS | #1, #2 | 2 |
| POZI | #1, #2 | 2 |
| SLOTTED | #4, #5, #6 | 3 |
| HEX | #4, #5, #6 | 3 |
| STAR TAMPER | TT10, TT15, TT20, TT25 | 4 |
| BITS HOLDER | Quick Release 1/4" x 65 mm | 1 |

AVAILABLE COLORS

- WB
- WR
- WY
- WU
- WG
- RR
- YY
- UU
- GG



| MBT56KM2575E01 BOX : 95 x 125 x 30 mm | | | 56 |
|---------------------------------------|--|--|-----------|
| Contents | Size | | Pcs |
| BITS | 1/4" x 25 mm | | 48 |
| PHILLIPS | #1 x 3, #2 x 3, #3 x 3 | | 9 |
| POZI | #1 x 3, #2 x 3, #3 x 3 | | 9 |
| SLOTTED | #4 x 2, #5 x 2, #6 x 2 | | 6 |
| HEX | #3, #4, #5 | | 3 |
| STAR | T10 x 2, T15 x 2, T20 x 2, T25 x 2, T27 x 2, T30 x 2, T40 x 2 | | 14 |
| STAR TAMPER | TT10, TT15, TT20, TT25, TT27, TT30, TT40 | | 7 |
| BITS | 1/4" x 75 mm | | 7 |
| PHILLIPS | #1, #2, #3 | | 3 |
| POZI | #1, #2 | | 2 |
| SLOTTED | #4, #6 | | 2 |
| BITS HOLDER | Quick Release 1/4" x 65 mm | | 1 |



| MBT49KM25E01 BOX : 95 x 125 x 30 mm | | | 49 |
|-------------------------------------|--|--|-----------|
| Contents | Size | | Pcs |
| BITS | 1/4" x 25 mm | | 48 |
| PHILLIPS | #1 x 3, #2 x 3, #3 x 3 | | 9 |
| POZI | #1 x 3, #2 x 3, #3 x 3 | | 9 |
| SLOTTED | #4 x 2, #5 x 2, #6 x 2 | | 6 |
| HEX | #3, #4, #5 | | 3 |
| STAR | T10 x 2, T15 x 2, T20 x 2, T25 x 2, T27 x 2, T30 x 2, T40 x 2 | | 14 |
| STAR TAMPER | TT10, TT15, TT20, TT25, TT27, TT30, TT40 | | 7 |
| BITS HOLDER | Quick Release 1/4" x 65 mm | | 1 |



| MBT14KM75E01 BOX : 95 x 125 x 30 mm | | | 14 |
|-------------------------------------|----------------------------|--|-----------|
| Contents | Size | | Pcs |
| BITS | 1/4" x 75 mm | | 13 |
| PHILLIPS | #1, #2 | | 2 |
| POZI | #1, #2 | | 2 |
| SLOTTED | #4, #6 | | 2 |
| HEX | #3, #4, #5 | | 3 |
| STAR | T10, T15, T20, T25 | | 4 |
| BITS HOLDER | Quick Release 1/4" x 65 mm | | 1 |



| MBT14KM75E02 BOX : 95 x 125 x 30 mm | | | 14 |
|-------------------------------------|---------------|--|-----------|
| Contents | Size | | Pcs |
| BITS | 1/4" x 75 mm | | 14 |
| PHILLIPS | #1, #2, #3 | | 3 |
| POZI | #1, #2, #3 | | 3 |
| SLOTTED | #4, #6 | | 2 |
| HEX | #3, #4, #5 | | 3 |
| STAR | T15, T20, T25 | | 3 |

AVAILABLE COLORS

- WB
- WR
- WY
- WU
- WG
- RR
- YY
- UU
- GG



| MBT36KS2550E01 BOX : 80 x 110 x 30 mm | | |
|---------------------------------------|------------------------------------|-----------|
| Contents | Size | Pcs |
| BITS | 1/4" x 25 mm | 28 |
| ⊕ PHILLIPS | #1 x 1, #2 x 2, #3 x 1 | 4 |
| ⊕ POZI | #1 x 1, #2 x 2, #3 x 1 | 4 |
| ⊖ SLOTTED | #3, #4, #5, #6 | 4 |
| ⬢ HEX | #3, #4, #5, #6 | 4 |
| ★ STAR | T10, T15, T20, T25, T30, T40 | 6 |
| ★ STAR TAMPER | TT10, TT15, TT20, TT25, TT30, TT40 | 6 |
| BITS | 1/4" x 50 mm | 7 |
| ⊕ PHILLIPS | #1, #2, | 2 |
| ⊕ POZI | #1, #2 | 2 |
| ⊖ SLOTTED | #4 | 1 |
| ★ STAR | T20, T25 | 2 |
| BITS HOLDER | Quick Release 1/4" x 65 mm | 1 |



| MBT29KS25E01 BOX : 80 x 110 x 30 mm | | |
|-------------------------------------|------------------------------------|-----------|
| Contents | Size | Pcs |
| BITS | 1/4" x 25 mm | 28 |
| ⊕ PHILLIPS | #1 x 1, #2 x 2, #3 x 1 | 4 |
| ⊕ POZI | #1 x 1, #2 x 2, #3 x 1 | 4 |
| ⊖ SLOTTED | #3, #4, #5, #6 | 4 |
| ⬢ HEX | #3, #4, #5, #6 | 4 |
| ★ STAR | T10, T15, T20, T25, T30, T40, | 6 |
| ★ STAR | TT10, TT15, TT20, TT25, TT30, TT40 | 6 |
| BITS HOLDER | Quick Release 1/4" x 65 mm | 1 |



| MBT32KS25E01 BOX : 80 x 110 x 30 mm | | |
|-------------------------------------|--|-----------|
| Contents | Size | Pcs |
| BITS | 1/4" x 25 mm | 30 |
| ⊕ PHILLIPS | #1 x 1, #2 x 2, #3 x 1 | 4 |
| ⊕ POZI | #1 x 1, #2 x 2, #3 x 1 | 4 |
| ⊖ SLOTTED | #3, #4, #5, #6 | 4 |
| ⬢ HEX | #3, #4, #5, #6 | 4 |
| ★ STAR | T10, T15, T20, T25, T27, T30, T40 | 7 |
| ★ STAR TAMPER | TT10, TT15, TT20, TT25, TT27, TT30, TT40 | 7 |
| BITS HOLDER | Quick Release 1/4" x 65 mm | 1 |
| ADAPTER | 1/4" x 25 mm | 1 |



AVAILABLE COLORS

- WB
- WR
- WY
- WU
- WG
- RR
- YY
- UU
- GG



| MBT30KS25E01 BOX : 80 x 110 x 30 mm | | |
|-------------------------------------|------------------------|-----------|
| Contents | Size | Pcs |
| BITS | 4H x 25 mm | 24 |
| ⊕ PHILLIPS | #000, #00, #0, #1 | 4 |
| ⊕ POZI | #1.4, #2.0, #4.0 | 3 |
| ⬢ HEX | #1.5, #2.0, #2.5, #3.0 | 4 |
| ★ STAR | T3, T4, T5, T6 | 4 |
| ★ STAR TAMPER | TT8, TT10, TT15 | 3 |
| ⬢ TORX ROUND BIT | TS1, TS4 | 2 |
| ★ TORX POINTED BIT | #0.8, #1.2 | 2 |
| ⊖ T-W | #0, #1 | 2 |
| EXTENSION BAR | 100 mm | 1 |
| FLEXIBLE EXTENSION HANDLE | 90 mm | 1 |
| CLIPS | 80 mm | 1 |
| PRY ROD | 80 mm | 1 |
| SUCKER | | 1 |
| NEEDLE | | 1 |



| MBT37KS25E01 | | BOX : 80 x 110 x 30 mm | 37 |
|----------------------------------|------------------------|------------------------|-----------|
| Contents | Size | | Pcs |
| BITS | 1/4" x 25 mm | | 9 |
| ⊕ PHILLIPS | #2 | | 1 |
| ⊕ POZI | #1, #2 | | 2 |
| ⊙ SPANNER | #4, #6, #8 | | 3 |
| ■ SQUARE | S-0, S-1, S-2 | | 3 |
| ADAPTER | 1/4" x 4 mm | | 1 |
| BITS | 4H x 25 mm | | 24 |
| ⊕ PHILLIPS | #000, #00, #0, #1 | | 4 |
| ⊖ SLOTTED | #1.4, #2.0, #4.0 | | 3 |
| ⬢ HEX | #1.5, #2.0, #2.5, #3.0 | | 4 |
| ★ STAR | T3, T4, T5, T6 | | 4 |
| ☆ STAR TAMPER | TT8, TT10, TT15 | | 3 |
| ⬢ TORX ROUND BIT | TS1, TS4 | | 2 |
| ★ TORX POINTED BIT | #0.8, #1.2 | | 2 |
| Ⓜ T-W | #0, #1 | | 2 |
| EXTENSION BAR | 1/4" x 70 mm | | 1 |
| EXTENSION BAR | 4H x 100 mm | | 1 |
| FLEXIBLE EXTENSION HANDLE | 90 mm | | 1 |



| MSB25KS25E01 | | BOX : 80 x 110 x 30 mm | 25 |
|--------------------|------------------------------|------------------------|-----------|
| Contents | Size | | Pcs |
| BITS | 1/4" x 25 mm | | 16 |
| ⊕ PHILLIPS | #1 x 1, #2 x 2 | | 3 |
| ⊕ POZI | #1 x 1, #2 x 2 | | 3 |
| ⬢ HEX | #3, #4, #5, #6 | | 4 |
| ★ STAR | T10, T15, T20, T25, T30, T40 | | 6 |
| SOCKET | 6, 7, 8, 10, 11, 13 | | 6 |
| BITS HOLDER | Quick Release 60 mm | | 1 |
| ADAPTER | 1/4" x 25 mm | | 1 |
| RATCHET | 85 mm | | 1 |



| MBT35KS25E02 | | BOX : 80 x 110 x 30 mm | 35 |
|----------------------------------|---|------------------------|-----------|
| Contents | Size | | Pcs |
| BITS | 1/4" x 25 mm | | 20 |
| ⊕ PHILLIPS | #1 x 1, #2 x 2, #3 x 1 | | 4 |
| ⊕ POZI | #1 x 1, #2 x 2, #3 x 1 | | 4 |
| ⊖ SLOTTED | #5 | | 1 |
| ⬢ HEX | #3, #4, #5, #6 | | 4 |
| ★ STAR | T8 x 1, T10 x 1, T15 x 1, T20 x 1, T25 x 2, T30 x 1 | | 7 |
| BITS | 4H x 25 mm | | 12 |
| ⊕ PHILLIPS | #1, #0, #00 | | 3 |
| ⊖ SLOTTED | #1.4, #2.0, #2.5, #4.0 | | 4 |
| ★ STAR | T3, T4, T5, T6, T8 | | 5 |
| EXTENSION BAR | 1/4" x 70 mm | | 1 |
| EXTENSION BAR | 4H x 100 mm | | 1 |
| FLEXIBLE EXTENSION HANDLE | 90 mm | | 1 |



| MBT32KS25E02 | | BOX : 80 x 110x 30 mm | 32 |
|----------------------|--|-----------------------|-----------|
| Contents | Size | | Pcs |
| BITS | 1/4" x 25 mm | | 30 |
| ⊕ PHILLIPS | #1 x 1, #2 x 2, #3 x 1 | | 4 |
| ⊕ POZI | #1 x 1, #2 x 2, #3 x 1 | | 4 |
| ⊖ SLOTTED | #3, #4, #5, #6 | | 4 |
| ⬢ HEX | #3, #4, #5, #6 | | 4 |
| ★ STAR | T10 x 1, T15 x 1, T20 x 1, T25 x 2, T30 x 1, T40 x 1 | | 7 |
| ☆ STAR TAMPER | TT10 x 1, TT15 x 1, TT20 x 1, TT25 x 2, TT30 x 1, TT40 x 1 | | 7 |
| BITS HOLDER | Quick Release 1/4" x 65 mm | | 1 |
| ADAPTER | 1/4" x 25 mm | | 1 |



| MSB17KS25E01 | | BOX : 80 x 110x 30 mm | 17 |
|-------------------|------------------|-----------------------|-----------|
| Contents | Size | | Pcs |
| BITS | 1/4" x 25 mm | | 10 |
| ⊕ PHILLIPS | #1, #2 | | 2 |
| ⊕ POZI | #1, #2 | | 2 |
| ⊖ SLOTTED | #4, #6 | | 2 |
| ⬢ HEX | #4, #6 | | 2 |
| ★ STAR | T20, T25 | | 2 |
| SOCKET | 6, 8, 10, 12, 13 | | 5 |
| ADAPTER | 1/4" x 25 mm | | 1 |
| RATCHET | 90 mm | | 1 |

AVAILABLE COLORS

- WB
- WR
- WY
- WU
- WG
- RR
- YY
- UU
- GG



| MBT31B01G | | | 31 |
|--------------------|--|--|-----------|
| Contents | Size | | Pcs |
| BITS | 1/4" x 25 mm | | 30 |
| ⊕ PHILLIPS | #1, #2, #3, #4 | | 4 |
| ⊕ POZI | #1, #2, #3, #4 | | 4 |
| ⊖ SLOTTED | #3, #4, #5, #6 | | 4 |
| ⦿ HEX | #3, #4, #5, #6 | | 4 |
| ★ STAR | T10, T15, T20, T25, T27, T30, T40 | | 7 |
| ☆ STAR TAMPER | TT10, TT15, TT20, TT25, TT27, TT30, TT40 | | 7 |
| BITS HOLDER | 1/4" x 60 mm | | 1 |



| MBT32B01W | | | 32 |
|--------------------|--|--|-----------|
| Contents | Size | | Pcs |
| BITS | 1/4" x 25 mm | | 30 |
| ⊕ PHILLIPS | #1, #2, #3, #4 | | 4 |
| ⊕ POZI | #1, #2, #3, #4 | | 4 |
| ⊖ SLOTTED | #3, #4, #5, #6 | | 4 |
| ⦿ HEX | #3, #4, #5, #6 | | 4 |
| ★ STAR | T10, T15, T20, T25, T27, T30, T40 | | 7 |
| ☆ STAR TAMPER | TT10, TT15, TT20, TT25, TT27, TT30, TT40 | | 7 |
| BITS HOLDER | 1/4" x 60 mm | | 1 |
| RATCHET | 100mm | | 1 |



| MBT32B02R | | | 32 |
|--------------------|--|--|-----------|
| Contents | Size | | Pcs |
| BITS | 1/4" x 25 mm | | 30 |
| ⊕ PHILLIPS | #1, #2, #3, #4 | | 4 |
| ⊕ POZI | #1, #2, #3, #4 | | 4 |
| ⊖ SLOTTED | #3, #4, #5, #6 | | 4 |
| ⦿ HEX | #3, #4, #5, #6 | | 4 |
| ★ STAR | T10, T15, T20, T25, T27, T30, T40 | | 7 |
| ☆ STAR TAMPER | TT10, TT15, TT20, TT25, TT27, TT30, TT40 | | 7 |
| BITS HOLDER | 1/4" x 60 mm | | 1 |
| ADAPTER | 1/4" x 25mm | | 1 |



| MSB28B01A | | | 28 |
|----------------|------------------------------|--|-----------|
| Contents | Size | | Pcs |
| BITS | 1/4" x 25 mm | | 20 |
| ⊕ PHILLIPS | #1, #2, #3, #4 | | 4 |
| ⊕ POZI | #1, #2, #3, #4 | | 4 |
| ⊖ SLOTTED | #4, #5, #6 | | 3 |
| ⦿ HEX | #4, #5, #6 | | 3 |
| ★ STAR | T10, T15, T20, T25, T30, T40 | | 6 |
| ⦿ SOCKET | 5, 6, 8, 10, 11, 12 | | 6 |
| RATCHET | 100 mm | | 1 |
| ADAPTER | 1/4" x 25mm | | 1 |



| MSB28B02U | | | 28 |
|----------------|------------------------------------|--|-----------|
| Contents | Size | | Pcs |
| BITS | 1/4" x 25 mm | | 20 |
| ⊕ PHILLIPS | #1, #2, #3, #4 | | 4 |
| ⊕ POZI | #1, #2, #3, #4 | | 4 |
| ★ STAR | T10, T15, T20, T25, T30, T40 | | 6 |
| ☆ STAR TAMPER | TT10, TT15, TT20, TT25, TT30, TT40 | | 6 |
| ⦿ SOCKET | 5, 6, 8, 10, 11, 12 | | 6 |
| RATCHET | 100 mm | | 1 |
| ADAPTER | 1/4" x 25mm | | 1 |



| MSB28B03Y | | | 28 |
|-------------------|------------------------------------|--|-----------|
| Contents | Size | | Pcs |
| BITS | 1/4" x 25 mm | | 20 |
| ⊕ PHILLIPS | #1, #2, #3, #4 | | 4 |
| ⊕ POZI | #1, #2, #3, #4 | | 4 |
| ★ STAR | T10, T15, T20, T25, T30, T40 | | 6 |
| ☆ STAR TAMPER | TT10, TT15, TT20, TT25, TT30, TT40 | | 6 |
| ⦿ SOCKET | 5, 6, 8, 10, 11, 12 | | 6 |
| BIT HOLDER | 1/4" x 60mm | | 1 |
| ADAPTER | 1/4" x 25mm | | 1 |



| MBT31H02B | | | 31 |
|--------------------|--|--|-----------|
| Contents | Size | | Pcs |
| BITS | 1/4" x 25 mm | | 30 |
| ⊕ PHILLIPS | #1, #2, #3, #4 | | 4 |
| ⊕ POZI | #1, #2, #3, #4 | | 4 |
| ⊖ SLOTTED | #3, #4, #5, #6 | | 4 |
| ⦿ HEX | #3, #4, #5, #6 | | 4 |
| ★ STAR | T10, T15, T20, T25, T27, T30, T40 | | 7 |
| ☆ STAR TAMPER | TT10, TT15, TT20, TT25, TT27, TT30, TT40 | | 7 |
| BITS HOLDER | 1/4" x 60 mm | | 1 |

Assorted content and color box combination are available upon request



| MBT31C03R | | | 31 |
|---------------|------------------------------------|-----------|----|
| Contents | Size | Pcs | |
| BITS | 1/4" x 25 mm | 30 | |
| ⊕ PHILLIPS | #1 x 3, #2 x 3, #3 x 3 | 9 | |
| ⊕ POZI | #1 x 3, #2 x 3, #3 x 3 | 9 | |
| ★ STAR | T10, T15, T20, T25, T30, T40 | 6 | |
| ⊙ STAR TAMPER | TT10, TT15, TT20, TT25, TT30, TT40 | 6 | |
| BIT HOLDER | 1/4"*60mm | 1 | |



| MBT31C03B | | | 31 |
|---------------|------------------------------------|-----------|----|
| Contents | Size | Pcs | |
| BITS | 1/4" x 25 mm | 30 | |
| ⊕ PHILLIPS | #1 x 3, #2 x 3, #3 x 3 | 9 | |
| ⊕ POZI | #1 x 3, #2 x 3, #3 x 3 | 9 | |
| ★ STAR | T10, T15, T20, T25, T30, T40 | 6 | |
| ⊙ STAR TAMPER | TT10, TT15, TT20, TT25, TT30, TT40 | 6 | |
| BIT HOLDER | 1/4"*60mm | 1 | |



| MBT32I03A | | | 32 |
|---------------|--|-----------|----|
| Contents | Size | Pcs | |
| BITS | 1/4" x 25 mm | 30 | |
| ⊕ PHILLIPS | #1, #2, #3, #4 | 4 | |
| ⊕ POZI | #1, #2, #3, #4 | 4 | |
| ⊖ SLOTTED | #3, #4, #5, #6 | 4 | |
| ⊙ HEX | #3, #4, #5, #6 | 4 | |
| ★ STAR | T10, T15, T20, T25, T27, T30, T40 | 7 | |
| ⊙ STAR TAMPER | TT10, TT15, TT20, TT25, TT27, TT30, TT40 | 7 | |
| BITS HOLDER | 1/4" x 60 mm | 1 | |
| ADAPTER | 1/4"*25mm | 1 | |



| MSB26D01B | | | 26 |
|-------------|------------------------------|-----------|----|
| Contents | Size | Pcs | |
| BITS | 1/4" x 25 mm | 18 | |
| ⊕ PHILLIPS | #1, #2, #3 | 3 | |
| ⊕ POZI | #1, #2, #3 | 3 | |
| ⊖ SLOTTED | #4, #6 | 2 | |
| ⊙ HEX | #3, #4, #5, #6 | 4 | |
| ★ STAR | T10, T15, T20, T25, T30, T40 | 6 | |
| ⊙ SOCKET | 6, 8, 10, 12, 13 | 5 | |
| RATCHET | 100 mm | 1 | |
| ADAPTER | 1/4"*50mm | 1 | |
| BITSOCKET | | 1 | |



| MBT10J01B | | | 10 |
|-------------|--------------|----------|----|
| Contents | Size | Pcs | |
| BITS | 1/4" x 25 mm | 9 | |
| ⊕ PHILLIPS | #1, #2, #3 | 3 | |
| ⊕ POZI | #1, #2, #3 | 3 | |
| ⊖ SLOTTED | #4, #5.5, #7 | 3 | |
| BIT HOLDER | 1/4"*60mm | 1 | |



| MBT34F01B | | | 34 |
|-------------|---|-----------|----|
| Contents | Size | Pcs | |
| BITS | 1/4" x 25 mm | 28 | |
| ⊕ PHILLIPS | #1 x 2, #2 x 4, #3 x 2 | 8 | |
| ⊕ POZI | #1 x 2, #2 x 4, #3 x 2 | 8 | |
| ★ STAR | T8 x 2, T10 x 1, T15 x 2, T20 x 2, T25 x 2, T27 x 1, T30 x 1, T40 x 1 | 12 | |
| ⊙ HEX | #3, #4, #5, #6 | 4 | |
| ADAPTER | 1/4"*25mm | 1 | |
| BIT HOLDER | 1/4"*60mm | 1 | |



| MBT34F01O | | | 34 |
|---------------|--|-----------|----|
| Contents | Size | Pcs | |
| BITS | 1/4" x 25 mm | 32 | |
| ⊕ PHILLIPS | #1 x 1, #2 x 4, #3 x 1 | 6 | |
| ⊕ POZI | #1 x 1, #2 x 2, #3 x 1 | 4 | |
| ⊖ SLOTTED | #3, #4, #5, #6 | 4 | |
| ⊙ HEX | #3, #4, #5, #6 | 4 | |
| ★ STAR | T10, T15, T20, T25, T27, T30, T40 | 7 | |
| ⊙ STAR TAMPER | TT10, TT15, TT20, TT25, TT27, TT30, TT40 | 7 | |
| ADAPTER | 1/4"*25mm | 1 | |
| BIT HOLDER | 1/4"*60mm | 1 | |



| MBT34F01R | | | 34 |
|---------------|--|-----------|----|
| Contents | Size | Pcs | |
| BITS | 1/4" x 25 mm | 32 | |
| ⊕ PHILLIPS | #1 x 1, #2 x 4, #3 x 1 | 6 | |
| ⊕ POZI | #1 x 1, #2 x 2, #3 x 1 | 4 | |
| ⊖ SLOTTED | #3, #4, #5, #6 | 4 | |
| ⊙ HEX | #3, #4, #5, #6 | 4 | |
| ★ STAR | T10, T15, T20, T25, T27, T30, T40 | 7 | |
| ⊙ STAR TAMPER | TT10, TT15, TT20, TT25, TT27, TT30, TT40 | 7 | |
| ADAPTER | 1/4"*25mm | 1 | |
| BIT HOLDER | 1/4"*60mm | 1 | |



| MSB40E01B | | 40 |
|-------------------|-----------------------------------|-----------|
| Contents | Size | Pcs |
| BITS | 1/4" x 25 mm | 28 |
| ⊕ PHILLIPS | #1 x 1, #2 x 2, #3 x 1 | 4 |
| ⊕ POZI | #1 x 1, #2 x 2, #3 x 1 | 4 |
| ⊖ SLOTTED | #4, #5, #6 | 3 |
| ⬢ HEX | #2, #2.5, #3, #4, #5, #6 | 6 |
| ★ STAR | T10, T15, T20, T25, T27, T30, T40 | 7 |
| ■ SQUARE | #1, #2, #3, #4 | 4 |
| ⊙ SOCKET | 4, 4.5, 5, 6, 7, 8, 10, 12, 13 | 9 |
| BIT HOLDER | 1/4" x 60mm | 1 |
| RATCHET | 100mm | 1 |
| ADAPTER | 1/4" x 25mm | 1 |



| MSB31E01B | | 31 |
|---------------------|-----------------------------------|-----------|
| Contents | Size | Pcs |
| BITS | 1/4" x 25 mm | 24 |
| ⊕ PHILLIPS | #1, #2, #3 | 3 |
| ⊕ POZI | #1, #2, #3 | 3 |
| ⊖ SLOTTED | #4, #6 | 2 |
| ⬢ HEX | #2, #3, #4, #5, #6 | 5 |
| ★ STAR | T10, T15, T20, T25, T27, T30, T40 | 7 |
| ■ SQUARE | #1, #2, #3 | 3 |
| ⊕ PH Drywall | 2 | 1 |
| ⬢ NUTSETTERS | 1/4, 8, 10, 11, 13 | 5 |
| BIT HOLDER | 1/4" x 60mm | 1 |
| ADAPTER | 1/4" x 25mm | 1 |




| MLB21G01B | | 21 |
|-------------------|------------------------------------|-----------|
| Contents | Size | Pcs |
| BITS | 1/4" x 25 mm | 20 |
| ⊕ PHILLIPS | #1 x 2, #2 x 2, #3 x 2 | 90L 6 |
| ⊕ POZI | #1 x 2, #2 x 2, #3 x 2 | 90L 6 |
| ★ STAR | T10 x 2, T15 x 2, T20 x 2, T25 x 2 | 90L 8 |
| BIT HOLDER | 1/4" x 60mm | 1 |



| MBT11L25N01 | | BOX : 114 x 53 x 20 mm | 11 |
|--------------------|---|------------------------|----|
| Contents | Size | Pcs | |
| BITS | 1/4" x 25 mm | 9 | |
| ⊗ STAR BALL | TB-10, TB-15, TB-20, TB-25, TB-27 TB-30, TB-40, TB-45, TB-50 | 9 | |
| BITS HOLDER | Quick Release 1/4" x 65 mm | 1 | |
| ADAPTER | 1/4" x 1/4" | 1 | |



| MBT11L25N02 | | BOX : 114 x 53 x 20 mm | 11 |
|--------------------|----------------------------|------------------------|----|
| Contents | Size | Pcs | |
| BITS | 1/4" x 25 mm | 10 | |
| ⊕ PHILLIPS | #1, #2, #3 | 3 | |
| ⊕ POZI | #1, #2 | 2 | |
| ★ STAR | T10, T15, T20, T27 | 4 | |
| BITS HOLDER | Quick Release 1/4" x 65 mm | 1 | |
| ADAPTER | 1/4" x 1/4" | 1 | |



| MBT17N25N01 | | BOX : 155 x 63 x 15 mm | 17 |
|----------------------|----------------------------|------------------------|----|
| Contents | Size | Pcs | |
| BITS | 1/4" x 25 mm | 16 | |
| ⊕ PHILLIPS | #1 x 1, #2 x 2, #3 x 1 | 4 | |
| ⊕ POZI | #1 x 1, #2 x 2, #3 x 1 | 4 | |
| ⊖ SLOTTED | #4, #5 | 2 | |
| ★ STAR | T15, T20, T25, T30 | 4 | |
| ⊗ STAR TAMPER | TT20, TT25 | 2 | |
| BITS HOLDER | Quick Release 1/4" x 65 mm | 1 | |



| MBT17N25N02 | | BOX : 155 x 63 x 15 mm | 17 |
|----------------------|----------------------------|------------------------|----|
| Contents | Size | Pcs | |
| BITS | 1/4" x 25 mm | 16 | |
| ⊕ PHILLIPS | #1 x 2, #2 x 1, #3 x 1 | 4 | |
| ⊕ POZI | #1 x 2, #2 x 1, #3 x 1 | 4 | |
| ⊖ SLOTTED | #4, #5, #6 | 3 | |
| ⬢ HEX | #4, #5, #6 | 3 | |
| ⊗ STAR TAMPER | TT10, TT15 | 2 | |
| BITS HOLDER | Quick Release 1/4" x 65 mm | 1 | |



| MBT44BB65E01 | | | 44 |
|--------------------------|--|-----------|----|
| Contents | Size | Pcs | |
| BITS | 1/4" x 65mm | 44 | |
| SPLINE | M5, M6, M8 | 3 | |
| SECURITY TORQ SET | X6, X8, X10 | 3 | |
| SPANNER | U4, U6, U8, U10 | 4 | |
| SQUARE | #0, #1, #2 | 3 | |
| CLUTCH | C1, C2, C3 | 3 | |
| TRI-WING | Y1, Y2, Y3, Y4 | 4 | |
| HEX | H2, H2.5, H3, H4, H5, H6, H5/64", H3/32", H7/64", H1/8", H9/64", H5/32", H3/16", H7/32", H1/4", H5/16" | 16 | |
| STAR | T8, T10, T15, T20, T25, T27, T30, T40 | 8 | |



| MBT25BB6590130E01 | | | 25 |
|-------------------|--|----------|----|
| Contents | Size | Pcs | |
| BITS | 1/4" x 65mm | 8 | |
| PHILLIPS | #2 x 2, #3 x 2 | 4 | |
| STAR | T20, T25, T27, T30 | 4 | |
| BITS | 1/4" x 90mm | 4 | |
| HEX BALL | HB4, HB5, HB5.5, HB6 | 4 | |
| BITS | 1/4" x 130mm | 7 | |
| PHILLIPS | #2 x 2 | 2 | |
| HEX BALL | HB5/16", HB1/4", HB7/32", HB3/16", HB5/32" | 5 | |
| ADAPTER | 1/4"x65mm | 1 | |
| ADAPTER | 3/8"x65mm | 1 | |
| ADAPTER | 3/8"x150mm | 1 | |
| BIT HOLDER | Quick release 1/4"x60mm | 1 | |
| BIT HOLDER | Quick release 1/4"x75mm | 1 | |
| BIT HOLDER | Quick release 1/4"x150mm | 1 | |



| MSB42RB5090E01 | | | 42 |
|---------------------|-----------------------------------|-----------|----|
| Contents | Size | Pcs | |
| BITS | 1/4" x 50 mm | 26 | |
| PHILLIPS | #1 x 1, #2 x 2, #3 x 1 | 4 | |
| POZI | #1 x 1, #2 x 2, #3 x 1 | 4 | |
| SLOTTED | #3, #4, #5, #6 | 4 | |
| HEX | #2, #2.5, #3, #4, #5, #6, #8 | 7 | |
| STAR | T10, T15, T20, T25, T27, T30, T40 | 7 | |
| BITS | 1/4" x 90 mm | 6 | |
| PHILLIPS | #1 x 1, #2 x 2 | 3 | |
| POZI | #1 x 1, #2 x 2 | 3 | |
| NUTSETTERS | 1/4", 7, 8, 10, 11, 12, 13 mm | 7 | |
| BIT HOLDER | Quick release 1/4" x 50 mm | 1 | |
| ADAPTER | 1/2" x 1/4" | 1 | |
| DRIVE HANDLE | 130mm | 1 | |



| MBT50BB6590130E01 | | | 50 |
|-------------------|--|-----------|----|
| Contents | Size | Pcs | |
| BITS | 1/4" x 50mm | 5 | |
| HEX | H4, H5, H5.5, H6, H8 | 5 | |
| BITS | 1/4" x 65mm | 22 | |
| PHILLIPS | #2x2, #3x2 | 4 | |
| HEX | H5/16", H1/4", H7/32", H3/16", H5/32" | 5 | |
| SLOTTED | #6 | 1 | |
| STAR | T10, T15, T20, T25, T27, T30, T40 | 7 | |
| HEX BALL | HB4, HB5, HB5.5, HB6, HB8 | 5 | |
| BITS | 1/4" x 130mm | 11 | |
| PHILLIPS | #2x2 | 2 | |
| STAR | T25, T27, T30, T40 | 4 | |
| HEX BALL | HB5/32", HB3/16", HB7/32", HB1/4", HB5/16" | 5 | |
| ADAPTER | 1/2"x1/4"x65mm | 1 | |
| ADAPTER | 3/8"x1/4"x65mm | 1 | |
| ADAPTER | 1/4"x65mm | 1 | |
| ADAPTER | 3/8"x1/4"x150mm | 1 | |
| ADAPTER | 1/4"x150mm | 1 | |
| NUTSETTERS | 1/4" x 65mm: 1/4", 3/8", 5/16" | 3 | |
| BIT HOLDER | Quick release 1/4"x60mm | 2 | |
| BIT HOLDER | Quick release 1/4"x75mm | 1 | |
| BIT HOLDER | Quick release 1/4"x150mm | 1 | |



| MBT42MT25E01 | | | 42 |
|--------------------|--|-----------|----|
| Contents | Size | Pcs | |
| BITS | 1/4" x 25mm | 42 | |
| HEX | #1.5, #2, #2.5, #3, #4, #5, #6, #7, #8, #10 | 10 | |
| PHILLIPS | 0#, #1, #2, #3 | 4 | |
| POZI | #1, #2, #3 | 3 | |
| SQUARE | S-0, S-1, S-2, S-3 | 4 | |
| SLOTTED | 3x0.5, 3.5x0.6, 4x0.5, 4.5x0.6, 5x0.8, 5.5x0.8, 6x1.0, 6.5x1.2, 7x1.2, 8x1.2 | 10 | |
| STAR TAMPER | TT7, TT8, TT9, TT10, TT15, TT20, TT25, TT27, TT30, TT40 | 10 | |
| STAR | T6 | 1 | |



| MBT11MTM3680E01 | | | 11 |
|-----------------|----------------------|-----------|----|
| Contents | Size | Pcs | |
| BITS | 10mm x 36mm | 10 | |
| SPLINE | M5, M6, M8, M10, M12 | 5 | |
| | 10mm x 80mm | | |
| SPLINE | M5, M6, M8, M10, M12 | 5 | |
| ADAPTER | 1/2" x 10mm | 1 | |



| MBT15MTT3680E01 | | | 15 |
|-----------------|-----------------------------------|-----------|----|
| Contents | Size | Pcs | |
| BITS | 10mm x 36mm | 14 | |
| STAR | T20, T25, T30, T40, T45, T50, T55 | 7 | |
| | 10mm x 80mm | | |
| STAR | T20, T25, T30, T40, T45, T50, T55 | 7 | |
| ADAPTER | 1/2" x 10mm | 1 | |



| MBT15MTH3680E01 | | | 15 |
|-----------------|-----------------------|-----------|----|
| Contents | Size | Pcs | |
| BITS | 10mm x 36mm | 14 | |
| HEX | 4, 5, 6, 7, 8, 10, 12 | 7 | |
| | 10mm x 80mm | | |
| HEX | 4, 5, 6, 7, 8, 10, 12 | 7 | |
| ADAPTER | 1/2" x 10mm | 1 | |



| MBT15MTH3680E02 | | | 15 |
|-----------------|---|-----------|----|
| Contents | Size | Pcs | |
| BITS | 10mm x 36mm | 14 | |
| HEX | 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", 7/16" | 7 | |
| | 10mm x 80mm | | |
| HEX | 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", 7/16" | 7 | |
| ADAPTER | 1/2" x 10mm | 1 | |

| MBT44MT3680E01 | | | 44 |
|----------------|---|-----------|----|
| Contents | Size | Pcs | |
| BITS | 10mm x 36mm | 42 | |
| HEX | 4, 5, 6, 7, 8, 10, 12 | 7 | |
| STAR | T20, T25, T27, T30, T40, T45, T50, T55, T60 | 9 | |
| SPLINE | M5, M6, M8, M10, M12 | 5 | |
| | 10mm x 80mm | | |
| HEX | 4, 5, 6, 7, 8, 10, 12 | 7 | |
| STAR | T20, T25, T27, T30, T40, T45, T50, T55, T60 | 9 | |
| SPLINE | M5, M6, M8, M10, M12 | 5 | |
| ADAPTER | 1/2" x 10mm | 1 | |
| ADAPTER | 3/8" x 10mm | 1 | |



MSB07BWC30H

7

| Contents | Size | Pcs |
|----------------|-------------------------|-----|
| BITS | 3/8" x 30mm | 6 |
| HEX | #4, #5, #6, #7, #8, #10 | 6 |
| COUPLER | 1/2" | 1 |



MSB06BWC30M

6

| Contents | Size | Pcs |
|----------------|----------------------|-----|
| BITS | 3/8" x 30mm | 5 |
| SPLINE | M5, M6, M8, M10, M12 | 5 |
| COUPLER | 1/2" | 1 |



MSB07BWC30T

7

| Contents | Size | Pcs |
|----------------|------------------------------|-----|
| BITS | 3/8" x 30mm | 6 |
| STAR | T20, T25, T30, T40, T45, T50 | 6 |
| COUPLER | 1/2" | 1 |



MSB16BWC3075T

16

| Contents | Size | Pcs |
|----------------|---|-----|
| BITS | 3/8" x 30mm | 6 |
| STAR | T20, T25, T30, T40, T45, T50 | 6 |
| BITS | 3/8" x 75mm | 9 |
| STAR | T20, T25, T30, T40, T45, T47, T50, T55, T60 | 9 |
| COUPLER | 1/2" | 1 |





extra long arm

| | | |
|-------------------|--------------------------------|---|
| mm size | | |
| MLK09M1HHS | (short arm) | 9 |
| MLK09M1HHL | (long arm) | 9 |
| MLK09M1HHX | (extra long arm) | 9 |
| HEX | HEX | |
| Content | 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 | |



extra long arm

| | | |
|-------------------|--------------------------------|---|
| mm size | | |
| MLK09M1BHS | (short arm) | 9 |
| MLK09M1BHL | (long arm) | 9 |
| MLK09M1BHX | (extra long arm) | 9 |
| HEX | BALL HEX | |
| Content | 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 | |

| | | |
|-------------------|---|---|
| inch size | | |
| MLK09Z1BHS | (short arm) | 9 |
| MLK09Z1BHL | (long arm) | 9 |
| MLK09Z1BHX | (extra long arm) | 9 |
| HEX | BALL HEX | |
| Content | 1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 1/4", 5/16", 3/8" | |



extra long arm

| | | |
|-------------------|--------------------------------|---|
| mm size | | |
| MLK09M2BHS | (short arm) | 9 |
| MLK09M2BHL | (long arm) | 9 |
| MLK09M2BHX | (extra long arm) | 9 |
| HEX | BALL HEX | |
| Content | 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 | |

| | | |
|-------------------|---|---|
| inch size | | |
| MLK09Z2BHS | (short arm) | 9 |
| MLK09Z2BHL | (long arm) | 9 |
| MLK09Z2BHX | (extra long arm) | 9 |
| HEX | BALL HEX | |
| Content | 1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 1/4", 5/16", 3/8" | |



extra long arm



long arm



extra long arm

| | | |
|-------------------|---|---|
| MLK09M1TXL | (long arm) | 9 |
| MLK09M1TXX | (extra long arm) | 9 |
| STAR | STAR BALL | |
| Content | T10, T15, T20, T25, T27, T30, T40, T45, T50 | |

| | | |
|-------------------|---|---|
| MLK09M1TTL | (long arm) | 9 |
| MLK09M1TXX | (extra long arm) | 9 |
| STAR | STAR BALL | |
| Content | T10, T15, T20, T25, T27, T30, T40, T45, T50 | |

| | | |
|-------------------|---|---|
| MLK09M1TBL | (long arm) | 9 |
| MLK09M1TBX | (extra long arm) | 9 |
| STAR | STAR BALL | |
| Content | T10, T15, T20, T25, T27, T30, T40, T45, T50 | |

| | | |
|-------------------|-----------------------------------|---|
| MLK07M2TBL | (long arm) | 7 |
| MLK07M2TBX | (extra long arm) | 7 |
| STAR | STAR BALL | |
| Content | T10, T15, T20, T25, T27, T30, T40 | |



Model No.

| MPS06HSA | | | | | 6 |
|------------|------|--------|---------------|---------------|---|
| Item No. | Size | Ø Dia. | Expose Length | Handle Length | |
| ⊕ MPS-PH00 | 00 | 2.5 | 50mm | 110mm | |
| ⊕ MPS-PH0 | 0 | 3 | 50mm | 110mm | |
| ⊖ MPS-SL15 | 1.5 | 2.5 | 50mm | 110mm | |
| ⊖ MPS-SL20 | 2 | 2.5 | 50mm | 110mm | |
| ⊖ MPS-SL30 | 3 | 3 | 50mm | 110mm | |
| ⊖ MPS-SL40 | 4 | 4 | 50mm | 110mm | |

Model No.

| MPS06TXA | | | | | 6 |
|------------|------|--------|---------------|---------------|---|
| Item No. | Size | Ø Dia. | Expose Length | Handle Length | |
| ★ MPS-TX07 | 7 | 3 | 50mm | 110mm | |
| ★ MPS-TX08 | 8 | 3 | 50mm | 110mm | |
| ★ MPS-TX09 | 9 | 3 | 50mm | 110mm | |
| ★ MPS-TX10 | 10 | 3 | 50mm | 110mm | |
| ★ MPS-TX15 | 15 | 4 | 50mm | 110mm | |
| ★ MPS-TX20 | 20 | 4 | 50mm | 110mm | |



POZI

| Item No. | Size | Ø Dia. | Expose Length | Handle Length |
|------------|------|--------|---------------|---------------|
| ✳ MPS-PZ00 | 0 | 3.0 | 50mm | 110mm |
| ✳ MPS-PZ01 | 1 | 4.0 | 50mm | 110mm |

SLOTTED

| Item No. | Size | Ø Dia. | Expose Length | Handle Length |
|------------|------|--------|---------------|---------------|
| ⊖ MPS-SL12 | 1.2 | 2.5 | 50mm | 110mm |
| ⊖ MPS-SL15 | 1.5 | 2.5 | 50mm | 110mm |
| ⊖ MPS-SL20 | 2.0 | 2.5 | 50mm | 110mm |
| ⊖ MPS-SL30 | 3.0 | 3.0 | 50mm | 110mm |
| ⊖ MPS-SL35 | 3.5 | 3.5 | 50mm | 110mm |
| ⊖ MPS-SL40 | 4.0 | 4.0 | 50mm | 110mm |

STAR

| Item No. | Size | Ø Dia. | Expose Length | Handle Length |
|------------|------|--------|---------------|---------------|
| ★ MPS-TX03 | 3 | 2.5 | 50mm | 110mm |
| ★ MPS-TX04 | 4 | 3 | 50mm | 110mm |
| ★ MPS-TX05 | 5 | 3 | 50mm | 110mm |
| ★ MPS-TX06 | 6 | 3 | 50mm | 110mm |
| ★ MPS-TX07 | 7 | 3 | 50mm | 110mm |
| ★ MPS-TX08 | 8 | 3 | 50mm | 110mm |
| ★ MPS-TX09 | 9 | 3 | 50mm | 110mm |
| ★ MPS-TX10 | 10 | 3 | 50mm | 110mm |
| ★ MPS-TX15 | 15 | 4 | 50mm | 110mm |
| ★ MPS-TX20 | 20 | 4 | 50mm | 110mm |

HEX

| Item No. | Size | Ø Dia. | Expose Length | Handle Length |
|------------|------|--------|---------------|---------------|
| ⬢ MPS-HX13 | 1.3 | 2.5 | 50mm | 110mm |
| ⬢ MPS-HX15 | 1.5 | 2.5 | 50mm | 110mm |
| ⬢ MPS-HX20 | 2.0 | 2.5 | 50mm | 110mm |
| ⬢ MPS-HX25 | 2.5 | 3.0 | 50mm | 110mm |
| ⬢ MPS-HX30 | 3.0 | 3.5 | 50mm | 110mm |

PHILLIPS

| Item No. | Size | Ø Dia. | Expose Length | Handle Length |
|-------------|------|--------|---------------|---------------|
| ⊕ MPS-PH000 | 000 | 2.5 | 50mm | 110mm |
| ⊕ MPS-PH00 | 00 | 2.5 | 50mm | 110mm |
| ⊕ MPS-PH0 | 0 | 3.0 | 50mm | 110mm |
| ⊕ MPS-PH1 | 1 | 4.0 | 50mm | 110mm |

BALL HEX

| Item No. | Size | Ø Dia. | Expose Length | Handle Length |
|------------|------|--------|---------------|---------------|
| ⬢ MPS-BH15 | 1.5 | 2.5 | 50mm | 110mm |
| ⬢ MPS-BH20 | 2.0 | 2.5 | 50mm | 110mm |
| ⬢ MPS-BH25 | 2.5 | 3.0 | 50mm | 110mm |
| ⬢ MPS-BH30 | 3.0 | 3.5 | 50mm | 110mm |



Assorted combination are available upon request.



BITS

INSERT BIT
POWER BIT
IMPACT BIT
INSERT BIT TAMPER



| Color Band Bits Series | BIT SERIES



| Overall length / mm | PH point size | Ref. No. |
|---------------------|---------------|----------------|
| 25 | 0 | AXPHXX0025635Z |
| | 1 | AXPHXX1025635Z |
| | 2 | AXPHXX2025635Z |
| | 3 | AXPHXX3025635Z |
| 50 | 0 | AXPHXX0050635Z |
| | 1 | AXPHXX1050635Z |
| | 2 | AXPHXX2050635Z |
| | 3 | AXPHXX3050635Z |
| 75 | 0 | AXPHXX0075635Z |
| | 1 | AXPHXX1075635Z |
| | 2 | AXPHXX2075635Z |
| | 3 | AXPHXX3075635Z |
| 90 | 0 | AXPHXX0090635Z |
| | 1 | AXPHXX1090635Z |
| | 2 | AXPHXX2090635Z |
| | 3 | AXPHXX3090635Z |
| 100 | 0 | AXPHXX0100635Z |
| | 1 | AXPHXX1100635Z |
| | 2 | AXPHXX2100635Z |
| | 3 | AXPHXX3100635Z |
| 150 | 0 | AXPHXX0150635Z |
| | 1 | AXPHXX1150635Z |
| | 2 | AXPHXX2150635Z |
| | 3 | AXPHXX3150635Z |



| Overall length / mm | A / mm | Ref. No. | Ref. No. |
|---------------------|--------|-----------------|----------------|
| 25 | 2 | AXXHXX2025635Z | AXTHXX2025635Z |
| | 2.5 | AXXH2.52025635Z | AXTH2.5025635Z |
| | 3 | AXXHXX3025635Z | AXTHXX3025635Z |
| | 4 | AXXHXX4025635Z | AXTHXX4025635Z |
| | 5 | AXXHXX5025635Z | AXTHXX5025635Z |
| | 5.5 | AXXH5.5025635Z | AXTH5.5025635Z |
| | 6 | AXXHXX6025635Z | AXTHXX6025635Z |
| | 6.5 | AXXH6.5025635Z | AXTH6.5025635Z |
| | 7 | AXXHXX7025635Z | AXTHXX7025635Z |
| | 8 | AXXHXX8025635Z | AXTHXX8025635Z |
| 50 | 10 | AXXH10025635Z | AXTH10025635Z |
| | 3 | AXXHXX3050635Z | |
| | 4 | AXXHXX4050635Z | |
| | 5 | AXXHXX5050635Z | |
| 75 | 6 | AXXHXX6050635Z | |
| | 3 | AXXHXX3075635Z | |
| | 4 | AXXHXX4075635Z | |
| 90 | 5 | AXXHXX5075635Z | |
| | 6 | AXXHXX6075635Z | |
| | 3 | AXXHXX3090635Z | |
| 100 | 4 | AXXHXX4090635Z | |
| | 5 | AXXHXX5090635Z | |
| | 6 | AXXHXX6090635Z | |
| 150 | 3 | AXXHXX3100635Z | |
| | 4 | AXXHXX4100635Z | |
| | 5 | AXXHXX5100635Z | |
| | 6 | AXXHXX6100635Z | |
| | 3 | AXXHXX3150635Z | |
| | 4 | AXXHXX4150635Z | |
| | 5 | AXXHXX5150635Z | |
| | 6 | AXXHXX6150635Z | |



| Overall length / mm | PZ point size | Ref. No. |
|---------------------|---------------|----------------|
| 25 | 0 | AXPZXX0025635Z |
| | 1 | AXPZXX1025635Z |
| | 2 | AXPZXX2025635Z |
| | 3 | AXPZXX3025635Z |
| 50 | 0 | AXPZXX0050635Z |
| | 1 | AXPZXX1050635Z |
| | 2 | AXPZXX2050635Z |
| | 3 | AXPZXX3050635Z |
| 75 | 0 | AXPZXX0075635Z |
| | 1 | AXPZXX1075635Z |
| | 2 | AXPZXX2075635Z |
| | 3 | AXPZXX3075635Z |
| 90 | 0 | AXPZXX0090635Z |
| | 1 | AXPZXX1090635Z |
| | 2 | AXPZXX2090635Z |
| | 3 | AXPZXX3090635Z |
| 100 | 0 | AXPZXX0100635Z |
| | 1 | AXPZXX1100635Z |
| | 2 | AXPZXX2100635Z |
| | 3 | AXPZXX3100635Z |
| 150 | 0 | AXPZXX0150635Z |
| | 1 | AXPZXX1150635Z |
| | 2 | AXPZXX2150635Z |
| | 3 | AXPZXX3150635Z |



| Overall length / mm | Size | Ref. No. | |
|---------------------|------|----------------|----------------|
| 25 | 3 | AXSLXX3025635Z | |
| | 4 | AXSLXX4025635Z | |
| | 4.5 | AXSL4.5025635Z | |
| | 5 | AXSLXX5025635Z | |
| | 5.5 | AXSL5.5025635Z | |
| | 6 | AXSLXX6025635Z | |
| | 6.5 | AXSL6.5025635Z | |
| | 7 | AXSLXX7025635Z | |
| 50 | 8 | AXSLXX8025635Z | |
| | 3 | AXSLXX3050635Z | |
| | 4 | AXSLXX4050635Z | |
| | 5 | AXSLXX5050635Z | |
| | 6 | AXSLXX6050635Z | |
| | 7 | AXSLXX7050635Z | |
| | 8 | AXSLXX8050635Z | |
| | 75 | 3 | AXSLXX3075635Z |
| 4 | | AXSLXX4075635Z | |
| 5 | | AXSLXX5075635Z | |
| 6 | | AXSLXX6075635Z | |
| 7 | | AXSLXX7075635Z | |
| 8 | | AXSLXX8075635Z | |
| 90 | | 3 | AXSLXX3090635Z |
| | | 4 | AXSLXX4090635Z |
| | 5 | AXSLXX5090635Z | |
| | 6 | AXSLXX6090635Z | |
| | 7 | AXSLXX7090635Z | |
| | 8 | AXSLXX8090635Z | |
| | 100 | 3 | AXSLXX3100635Z |
| | | 4 | AXSLXX4100635Z |
| 5 | | AXSLXX5100635Z | |
| 6 | | AXSLXX6100635Z | |
| 7 | | AXSLXX7100635Z | |
| 8 | | AXSLXX8100635Z | |
| 150 | | 3 | AXSLXX3150635Z |
| | | 4 | AXSLXX4150635Z |
| | 5 | AXSLXX5150635Z | |
| | 6 | AXSLXX6150635Z | |
| | 7 | AXSLXX7150635Z | |
| | 8 | AXSLXX8150635Z | |



| Overall length / mm | Size | Ref. No. | Ref. No. | |
|---------------------|------|----------------|----------------|----------------|
| 25 | T5 | AXXTXX5025635Z | AXTTXX5025635Z | |
| | T6 | AXXTXX6025635Z | AXTTXX6025635Z | |
| | T7 | AXXTXX7025635Z | AXTTXX7025635Z | |
| | T8 | AXXTXX8025635Z | AXTTXX8025635Z | |
| | T9 | AXXTXX9025635Z | AXTTXX9025635Z | |
| | T10 | AXXTX10025635Z | AXTTX10025635Z | |
| | T15 | AXXTX15025635Z | AXTTX15025635Z | |
| | T20 | AXXTX20025635Z | AXTTX20025635Z | |
| | T25 | AXXTX25025635Z | AXTTX25025635Z | |
| | T27 | AXXTX27025635Z | AXTTX27025635Z | |
| | T30 | AXXTX30025635Z | AXTTX30025635Z | |
| | T40 | AXXTX40025635Z | AXTTX40025635Z | |
| | T45 | AXXTX45025635Z | AXTTX45025635Z | |
| | T50 | AXXTX50025635Z | AXTTX50025635Z | |
| | 50 | T5 | AXXTXX5050635Z | AXTTXX5050635Z |
| | | T6 | AXXTXX6050635Z | AXTTXX6050635Z |
| T7 | | AXXTXX7050635Z | AXTTXX7050635Z | |
| T8 | | AXXTXX8050635Z | AXTTXX8050635Z | |
| T9 | | AXXTXX9050635Z | AXTTXX9050635Z | |
| T10 | | AXXTX10050635Z | AXTTX10050635Z | |
| T15 | | AXXTX15050635Z | AXTTX15050635Z | |
| T20 | | AXXTX20050635Z | AXTTX20050635Z | |
| T25 | | AXXTX25050635Z | AXTTX25050635Z | |
| T27 | | AXXTX27050635Z | AXTTX27050635Z | |
| T30 | | AXXTX30050635Z | AXTTX30050635Z | |
| T40 | | AXXTX40050635Z | AXTTX40050635Z | |
| T45 | | AXXTX45050635Z | AXTTX45050635Z | |
| T50 | | AXXTX50050635Z | AXTTX50050635Z | |



| Overall length / mm | Size | Ref. No. | Ref. No. | |
|---------------------|------|----------------|----------------|----------------|
| 75 | T5 | AXXTXX5075635Z | AXTTXX5075635Z | |
| | T6 | AXXTXX6075635Z | AXTTXX6075635Z | |
| | T7 | AXXTXX7075635Z | AXTTXX7075635Z | |
| | T8 | AXXTXX8075635Z | AXTTXX8075635Z | |
| | T9 | AXXTXX9075635Z | AXTTXX9075635Z | |
| | T10 | AXXTX10075635Z | AXTTX10075635Z | |
| | T15 | AXXTX15075635Z | AXTTX15075635Z | |
| | T20 | AXXTX20075635Z | AXTTX20075635Z | |
| | T25 | AXXTX25075635Z | AXTTX25075635Z | |
| | T27 | AXXTX27075635Z | AXTTX27075635Z | |
| | T30 | AXXTX30075635Z | AXTTX30075635Z | |
| | T40 | AXXTX40075635Z | AXTTX40075635Z | |
| | T45 | AXXTX45075635Z | AXTTX45075635Z | |
| | T50 | AXXTX5075635Z | AXTTX5075635Z | |
| | 90 | T5 | AXXTXX5090635Z | AXTTXX5090635Z |
| | | T6 | AXXTXX6090635Z | AXTTXX6090635Z |
| T7 | | AXXTXX7090635Z | AXTTXX7090635Z | |
| T8 | | AXXTXX8090635Z | AXTTXX8090635Z | |
| T9 | | AXXTXX9090635Z | AXTTXX9090635Z | |
| T10 | | AXXTX10090635Z | AXTTX10090635Z | |
| T15 | | AXXTX15090635Z | AXTTX15090635Z | |
| T20 | | AXXTX20090635Z | AXTTX20090635Z | |
| T25 | | AXXTX25090635Z | AXTTX25090635Z | |
| T27 | | AXXTX27090635Z | AXTTX27090635Z | |
| T30 | | AXXTX30090635Z | AXTTX30090635Z | |
| T40 | | AXXTX40090635Z | AXTTX40090635Z | |
| T45 | | AXXTX45090635Z | AXTTX45090635Z | |
| T50 | | AXXTX50090635Z | AXTTX50090635Z | |




| Overall length / mm | Size | Ref. No. | Ref. No. | |
|---------------------|------|----------------|----------------|----------------|
| 100 | T5 | AXXTXX5100635Z | AXTTXX5100635Z | |
| | T6 | AXXTXX6100635Z | AXTTXX6100635Z | |
| | T7 | AXXTXX7100635Z | AXTTXX7100635Z | |
| | T8 | AXXTXX8100635Z | AXTTXX8100635Z | |
| | T9 | AXXTXX9100635Z | AXTTXX9100635Z | |
| | T10 | AXXTX10100635Z | AXTTX10100635Z | |
| | T15 | AXXTX15100635Z | AXTTX15100635Z | |
| | T20 | AXXTX20100635Z | AXTTX20100635Z | |
| | T25 | AXXTX25100635Z | AXTTX25100635Z | |
| | T27 | AXXTX27100635Z | AXTTX27100635Z | |
| | T30 | AXXTX30100635Z | AXTTX30100635Z | |
| | T40 | AXXTX40100635Z | AXTTX40100635Z | |
| | T45 | AXXTX45100635Z | AXTTX45100635Z | |
| | T50 | AXXTX50100635Z | AXTTX50100635Z | |
| | 150 | T5 | AXTTXX5150635Z | AXTTXX5150635Z |
| | | T6 | AXTTXX6150635Z | AXTTXX6150635Z |
| T7 | | AXTTXX7150635Z | AXTTXX7150635Z | |
| T8 | | AXTTXX8150635Z | AXTTXX8150635Z | |
| T9 | | AXTTXX9150635Z | AXTTXX9150635Z | |
| T10 | | AXTTX10150635Z | AXTTX10150635Z | |
| T15 | | AXTTX15150635Z | AXTTX15150635Z | |
| T20 | | AXTTX20150635Z | AXTTX20150635Z | |
| T25 | | AXTTX25150635Z | AXTTX25150635Z | |
| T27 | | AXTTX27150635Z | AXTTX27150635Z | |
| T30 | | AXTTX30150635Z | AXTTX30150635Z | |
| T40 | | AXTTX40150635Z | AXTTX40150635Z | |
| T45 | | AXTTX45150635Z | AXTTX45150635Z | |
| T50 | | AXTTX50150635Z | AXTTX50150635Z | |




| | BIT COLOR | | | | |
|--------------|--------------------|--------------------------|--------------------|---------------------------------|-----------------------|
| | PH | SL | PZ | T | H |
| 25mm | #1 #2 #3 | #3 #4 #5 #6 | #1 #2 #3 | T10 15 20 30 40 | H3 4 5 6 |
| 50mm | #1 #2 #3 | #3 #4 #5 #6 | #1 #2 #3 | T10 15 20 30 40 | H3 4 5 6 |
| 75mm | #1 #2 #3 | #3 #4 #5 #6 | #1 #2 #3 | T10 15 20 30 40 | H3 4 5 6 |
| 100mm | #1 #2 #3 | #3 #4 #5 #6 | #1 #2 #3 | T10 15 20 30 40 | H3 4 5 6 |

| PHILLIPS | INSERT BIT DIN 3126/C 6,3 Full Shank | INSERT BIT DIN 3126/C 6,3 Reduced Shank | INSERT BIT DIN 3126 | INSERT BIT DIN 3126/C 6,3 Bullnose | INSERT BIT DIN 3126/C 6,3 Reduced Shank for Drywall | | | | | |
|---------------------|--|---|------------------------|--|--|----------------|----------------|-------|----------------|-----|
| | | | | | | | | | | |
| | | | | | | | | | | |
| Overall length / mm | PH point size | Ref. No. | Ref. No. | Ref. No. | Ref. No. | Ref. No. | Ref. No. | Ø dia | Ø dia | |
| 25 | 0 | | PH000002563HIR | 4 | | | | | | |
| | 1 | PH000102563HIF | PH000102563HIR | 5 | | | | | | |
| | 2 | PH000202563HIF | PH000102563HIR | 6 | | | | | | |
| | 3 | PH000302563HIF | PH000302563HIR | 6 | | | PH0003025080ØF | 8 | PH000202563HRD | 4.8 |
| | 4 | | | | | | PH0004025080ØF | 8 | | |
| 32 | 3 | | | | | PH0003032100ØF | 10 | | | |
| | 4 | | | | | PH0004032100ØF | 10 | | | |
| 50 | 0 | | | | | PH00005063HII | | | | |
| | 1 | | | | | PH00105063HII | | | | |
| | 2 | | | | | PH00205063HII | | | | |
| | 3 | | | | | PH00305063HII | | | | |
| 70 | 2 | | | | | PH00207063HII | | | | |
| | 3 | | | | | PH00307063HII | | | | |
| | 4 | | | | | PH00407063HII | | | | |

| PHILLIPS | DIN 3126/C 6,3 Drywall Indenter | DIN 3126/E 6,3 Drywall Power Bit | |
|---------------------|------------------------------------|-------------------------------------|----------------|
| | | | |
| | | | |
| Overall length / mm | PH point size | Ref. No. | Ref. No. |
| 25 | 2 | PH000202563HDI | PH000202563HDP |




| Overall length / mm | PH point size | Ref. No. | Ref. No. | Ø Dia. |
|---------------------|---------------|----------------|----------------|--------|
| 50 | 0 | PH000005063HPF | PH000005063HPR | 3 |
| | 1 | PH000105063HPF | PH000105063HPR | 4.5 |
| | 2 | PH000205063HPF | PH000205063HPR | 6 |
| | 3 | PH000305063HPF | PH000305063HPR | 6 |
| 70 | 0 | PH000007063HPF | PH000007063HPR | 3 |
| | 1 | PH000107063HPF | PH000107063HPR | 4.5 |
| | 2 | PH000207063HPF | PH000207063HPR | 6 |
| | 3 | PH000307063HPF | PH000307063HPR | 6 |
| 150 | 0 | PH000015063HPF | PH000015063HPR | 3 |
| | 1 | PH000115063HPF | PH000115063HPR | 4.5 |
| | 2 | PH000215063HPF | PH000215063HPR | 6 |
| | 3 | PH000315063HPF | PH000315063HPR | 6 |




| Overall length / mm | PH point size | Ref. No. | Ø Dia. | Ref. No. | Ø Dia. |
|---------------------|---------------|----------------|--------|----------------|--------|
| 32 | 1 | PH000103279HPR | 4.5 | | |
| | 2 | PH000203279HPR | 6 | | |
| | 3 | PH000303279HPR | 8 | | |
| 52 | 1 | PH000105279HPR | 4.5 | | |
| | 2 | PH000205279HPR | 6 | | |
| | 3 | PH000305279HPR | 8 | | |
| 75 | 1 | | | PH000107511HPR | 4.5 |
| | 2 | | | PH000207511HPR | 6 |
| | 3 | | | PH000307511HPR | 8 |
| | 4 | | | PH000407511HPR | 10 |
| 76 | 1 | PH000107679HPR | 4.5 | | |
| | 2 | PH000207679HPR | 6 | | |
| | 3 | PH000307679HPR | 8 | | |
| 94 | 1 | PH000109479HPR | 4.5 | | |
| | 2 | PH000209479HPR | 6 | | |
| | 3 | PH000309479HPR | 8 | | |


RIB DESIGN



| Overall length / mm | PH point size | Ref. No. | Ref. No. | Ref. No. |
|---------------------|---------------|----------------|----------------|----------------|
| 25 | 1 | PH000102563HRI | PH000102563RPF | PH000102563RPR |
| | 2 | PH000202563HRI | PH000202563RPF | PH000202563RPR |
| | 3 | PH000302563HRI | PH000302563RPF | PH000302563RPR |
| 50 | 1 | | PH000105063RPF | PH000105063RPR |
| | 2 | | PH000205063RPF | PH000205063RPR |
| | 3 | | PH000305063RPF | PH000305063RPR |
| 70 | 1 | | PH000107063RPF | PH000107063RPR |
| | 2 | | PH000207063RPF | PH000207063RPR |
| | 3 | | PH000307063RPF | PH000307063RPR |
| 150 | 1 | | PH000115063RPF | PH000115063RPR |
| | 2 | | PH000215063RPF | PH000215063RPR |
| | 3 | | PH000315063RPF | PH000315063RPR |



| Overall length / mm | PH point size | Ref. No. | Ref. No. |
|---------------------|---------------|----------------|----------------|
| 32 | 1 | PH000103279HMB | |
| | 2 | PH000203279HMB | |
| | 3 | PH000303279HMB | |
| | 4 | PH000403279HMB | |
| 36 | 1 | PH000103679HMB | |
| | 2 | PH000203679HMB | |
| | 3 | PH000303679HMB | |
| | 4 | PH000403679HMB | |
| 70 | 1 | | PH000107079HMB |
| | 2 | | PH000207079HMB |
| | 3 | | PH000307079HMB |
| | 4 | | PH000407079HMB |
| 80 | 1 | | PH000108079HMB |
| | 2 | | PH000208079HMB |
| | 3 | | PH000308079HMB |
| | 4 | | PH000408079HMB |



| Overall length / mm | INSERT BIT DIN 3126/C 6,3 | | INSERT BIT DIN 3126/C 6,3 | | INSERT BIT DIN 3126/C 6,3 | |
|---------------------|------------------------------|----------------|------------------------------|----------------|------------------------------|----------------|
| | Ø | Ref. No. | Ø | Ref. No. | Ø | Ref. No. |
| 25 | 3.0 x 0.5 | SL300502563HIF | 3/32" x .017" | SL003E02563HIF | .125"x.021" | SL021Z02563HIF |
| | 3.5 x 0.6 | SL350602563HIF | 7/64" x .019" | SL007F02563HIF | .140"x.025" | SL025Z02563HIF |
| | 4.0 x 0.5 | SL400502563HIF | 1/8" x .021" | SL001C02563HIF | .154"x.030" | SL030Z02563HIF |
| | 4.0 x 0.8 | SL400802563HIF | 9/64" x .025" | SL009F02563HIF | .185"x.034" | SL034Z02563HIF |
| | 4.5 x 0.6 | SL450602563HIF | 5/32" x .030" | SL005E02563HIF | .216"x.036" | SL036Z02563HIF |
| | 5.0 x 0.8 | SL500802563HIF | 3/16" x .034" | SL003D02563HIF | .248"x.038" | SL038Z02563HIF |
| | 5.5 x 0.8 | SL550802563HIF | 7/32" x .039" | SL007E02563HIF | .250"x.040" | SL040Z02563HIF |
| | 5.5 x 1.0 | SL551002563HIF | 1/4" x .042" | SL001B02563HIF | .275"x.042" | SL042Z02563HIF |
| | 6.0 x 1.0 | SL601002563HIF | 9/32" x .046" | SL009E02563HIF | .281"x.046" | SL046Z02563HIF |
| | 6.5 x 1.2 | SL651202563HIF | 5/16" x .050" | SL005D02563HIF | .312"x.050" | SL050Z02563HIF |
| | 7.0 x 1.2 | SL701202563HIF | | | | |
| | 8.0 x 1.2 | SL801202563HIF | | | | |
| | 8.0 x 1.6 | SL801602563HIF | | | | |
| | 10.0 x 1.6 | SL101602563HIF | | | | |
| 50 | 3.0 x 0.5 | SL300505063HIF | | | | |
| | 3.5 x 0.6 | SL350605063HIF | | | | |
| | 4.0 x 0.5 | SL400505063HIF | | | | |
| | 4.0 x 0.8 | SL400805063HIF | | | | |
| | 4.5 x 0.6 | SL450605063HIF | | | | |
| | 5.0 x 0.8 | SL500805063HIF | | | | |
| | 5.5 x 0.8 | SL550805063HIF | | | | |
| | 5.5 x 1.0 | SL551005063HIF | | | | |
| | 6.0 x 1.0 | SL601005063HIF | | | | |
| | 6.5 x 1.2 | SL651205063HIF | | | | |
| | 7.0 x 1.2 | SL701205063HIF | | | | |
| | 8.0 x 1.2 | SL801205063HIF | | | | |
| | 8.0 x 1.6 | SL801605063HIF | | | | |
| | 10.0 x 1.6 | SL101605063HIF | | | | |

| Overall length / mm | POWER BIT DIN 3126/E 6,3 Full Shank | | POWER BIT DIN 3126/E 6,3 Full Shank | | POWER BIT DIN 3126/E 6,3 Full Shank | | |
|---------------------|---|-----------------|---|-----------------|---|-----------------|-----------------|
| | Ø | Ref. No. | Ø | Ref. No. | Ø | Ref. No. | |
| 50 | 3.0 x 0.5 | SL300505063HPPF | 3/32" x .017" | SL003E05063HPPF | .125" x .021" | SL021Z05063HPPF | |
| | 3.5 x 0.6 | SL350605063HPPF | 7/64" x .019" | SL007F05063HPPF | .140" x .025" | SL025Z05063HPPF | |
| | 4.0 x 0.5 | SL400505063HPPF | 1/8" x .021" | SL001C05063HPPF | .154" x .030" | SL030Z05063HPPF | |
| | 4.0 x 0.8 | SL400805063HPPF | 9/64" x .025" | SL009F05063HPPF | .185" x .034" | SL034Z05063HPPF | |
| | 4.5 x 0.6 | SL450605063HPPF | 5/32" x .030" | SL005E05063HPPF | .216" x .036" | SL036Z05063HPPF | |
| | 5.0 x 0.8 | SL500805063HPPF | 3/16" x .034" | SL003D05063HPPF | .248" x .038" | SL038Z05063HPPF | |
| | 5.5 x 0.8 | SL550805063HPPF | 7/32" x .039" | SL007E05063HPPF | .250" x .040" | SL040Z05063HPPF | |
| | 5.5 x 1.0 | SL551005063HPPF | 1/4" x .042" | SL001B05063HPPF | .275" x .042" | SL042Z05063HPPF | |
| | 6.0 x 1.0 | SL601005063HPPF | 9/32" x .046" | SL009E05063HPPF | .281" x .046" | SL046Z05063HPPF | |
| | 6.5 x 1.2 | SL651205063HPPF | | | .312" x .050" | SL050Z05063HPPF | |
| | 7.0 x 1.2 | SL701205063HPPF | | | | | |
| | 70 | 3.0 x 0.5 | SL300507063HPPF | 3/32" x .017" | SL003E07063HPPF | .125" x .021" | SL021Z07063HPPF |
| | | 3.5 x 0.6 | SL350607063HPPF | 7/64" x .019" | SL007F07063HPPF | .140" x .025" | SL025Z07063HPPF |
| | | 4.0 x 0.5 | SL400507063HPPF | 1/8" x .021" | SL001C07063HPPF | .154" x .030" | SL030Z07063HPPF |
| 4.0 x 0.8 | | SL400807063HPPF | 9/64" x .025" | SL009F07063HPPF | .185" x .034" | SL034Z07063HPPF | |
| 4.5 x 0.6 | | SL450607063HPPF | 5/32" x .030" | SL005E07003HPPF | .216" x .036" | SL036Z07063HPPF | |
| 5.0 x 0.8 | | SL500807063HPPF | 3/16" x .034" | SL003D07063HPPF | .248" x .038" | SL038Z07063HPPF | |
| 5.5 x 0.8 | | SL550807063HPPF | 7/32" x .039" | SL007E07063HPPF | .250" x .040" | SL040Z07063HPPF | |
| 5.5 x 1.0 | | SL551007063HPPF | 1/4" x .042" | SL001B07063HPPF | .275" x .042" | SL042Z07063HPPF | |
| 6.0 x 1.0 | | SL601007063HPPF | 9/32" x .046" | SL009E07063HPPF | .281" x .046" | SL046Z07063HPPF | |
| 6.5 x 1.2 | | SL651207063HPPF | | | .312" x .050" | SL050Z07063HPPF | |
| 7.0 x 1.2 | | SL701207063HPPF | | | | | |
| 150 | | 3.0 x 0.5 | SL300515063HPPF | | | | |
| | | 3.5 x 0.6 | SL350615063HPPF | | | | |
| | | 4.0 x 0.5 | SL400515063HPPF | | | | |
| | 4.0 x 0.8 | SL400815063HPPF | | | | | |
| | 4.5 x 0.6 | SL450615063HPPF | | | | | |
| | 5.0 x 0.8 | SL500815063HPPF | | | | | |
| | 5.5 x 0.8 | SL550815063HPPF | | | | | |
| | 5.5 x 1.0 | SL551015063HPPF | | | | | |
| | 6.0 x 1.0 | SL601015063HPPF | | | | | |
| | 6.5 x 1.2 | SL651215063HPPF | | | | | |
| | 7.0 x 1.2 | SL701215063HPPF | | | | | |

| Overall length / mm | POWER BIT DIN 3126/E 6,3 Reduced Shank 1/4" | | POWER BIT DIN 3126/E 6,3 Reduced Shank 1/4" | | POWER BIT DIN 3126/E 6,3 Reduced Shank 1/4" | |
|---------------------|--|----------------|--|----------------|--|----------------|
| | Ref. No. | Inch size | Ref. No. | Inch size | Ref. No. | Inch size |
| 50 | 3.0 x 0.5 | SL300505063HPR | 3/32" x .017" | SL003E05063HPR | .125" x .021" | SL021Z05063HPR |
| | 3.5 x 0.6 | SL350605063HPR | 7/64" x .019" | SL007F05063HPR | .140" x .025" | SL025Z05063HPR |
| | 4.0 x 0.5 | SL400505063HPR | 1/8" x .021" | SL001C05063HPR | .154" x .030" | SL030Z05063HPR |
| | 4.0 x 0.8 | SL400805063HPR | 9/64" x .025" | SL009F05063HPR | .185" x .034" | SL034Z05063HPR |
| | 4.5 x 0.6 | SL450605063HPR | 5/32" x .030" | SL005E05063HPR | .216" x .036" | SL036Z05063HPR |
| | 5.0 x 0.8 | SL500805063HPR | 3/16" x .034" | SL003D05063HPR | .248" x .038" | SL038Z05063HPR |
| | 5.5 x 0.8 | SL550805063HPR | 7/32" x .039" | SL007E05063HPR | .250" x .040" | SL040Z05063HPR |
| | 5.5 x 1.0 | SL551005063HPR | 1/4" x .042" | SL001B05063HPR | .275" x .042" | SL042Z05063HPR |
| | 6.0 x 1.0 | SL601005063HPR | 9/32" x .046" | SL009E05063HPR | .281" x .046" | SL046Z05063HPR |
| | 6.5 x 1.2 | SL651205063HPR | | | .312" x .050" | SL050Z05063HPR |
| 7.0 x 1.2 | SL701205063HPR | | | | | |
| 70 | 3.0 x 0.5 | SL300507063HPR | 3/32" x .017" | SL003E07063HPR | .125" x .021" | SL021Z07063HPR |
| | 3.5 x 0.6 | SL350607063HPR | 7/64" x .019" | SL007F07063HPR | .140" x .025" | SL025Z07063HPR |
| | 4.0 x 0.5 | SL400507063HPR | 1/8" x .021" | SL001C07063HPR | .154" x .030" | SL030Z07063HPR |
| | 4.0 x 0.8 | SL400807063HPR | 9/64" x .025" | SL009F07063HPR | .185" x .034" | SL034Z07063HPR |
| | 4.5 x 0.6 | SL450607063HPR | 5/32" x .030" | SL005E07003HPR | .216" x .036" | SL036Z07063HPR |
| | 5.0 x 0.8 | SL500807063HPR | 3/16" x .034" | SL003D07063HPR | .248" x .038" | SL038Z07063HPR |
| | 5.5 x 0.8 | SL550807063HPR | 7/32" x .039" | SL007E07063HPR | .250" x .040" | SL040Z07063HPR |
| | 5.5 x 1.0 | SL551007063HPR | 1/4" x .042" | SL001B07063HPR | .275" x .042" | SL042Z07063HPR |
| | 6.0 x 1.0 | SL601007063HPR | 9/32" x .046" | SL009E07063HPR | .281" x .046" | SL046Z07063HPR |
| | 6.5 x 1.2 | SL651207063HPR | | | .312" x .050" | SL050Z07063HPR |
| 7.0 x 1.2 | SL701207063HPR | | | | | |
| 150 | 3.0 x 0.5 | SL300515063HPR | | | | |
| | 3.5 x 0.6 | SL350615063HPR | | | | |
| | 4.0 x 0.5 | SL400515063HPR | | | | |
| | 4.0 x 0.8 | SL400815063HPR | | | | |
| | 4.5 x 0.6 | SL450615063HPR | | | | |
| | 5.0 x 0.8 | SL500815063HPR | | | | |
| | 5.5 x 0.8 | SL550815063HPR | | | | |
| | 5.5 x 1.0 | SL551015063HPR | | | | |
| 6.0 x 1.0 | SL601015063HPR | | | | | |
| 6.5 x 1.2 | SL651215063HPR | | | | | |
| 7.0 x 1.2 | SL701215063HPR | | | | | |

| Overall length / mm | POWER BIT DIN 3126/E 11,2 7/16" | |
|---------------------|---------------------------------------|----------------|
| | Ref. No. | Inch size |
| 90 | 5.0x0.8 | SL500809011HPR |
| | 5.5x0.8 | SL550809011HPR |
| | 6.0x1.0 | SL601009011HPR |
| | 6.5x1.2 | SL651209011HPR |
| | 7.0x1.2 | SL701209011HPR |
| | 8.0x1.2 | SL801209011HPR |
| | 8.0x1.6 | SL801609011HPR |
| | 9.0x1.6 | SL901609011HPR |
| | 10.0x1.6 | SL101609011HPR |
| | 11.0x1.6 | SL111609011HPR |
| | 12.0x2.0 | SL122009011HPR |

| Overall length / mm | IMPACT BIT DIN 3126/C8 5/16" | | IMPACT BIT DIN 3126/C8 5/16" | | IMPACT BIT DIN 3126/C8 5/16" | | |
|---------------------|------------------------------------|----------------|------------------------------------|----------------|------------------------------------|----------------|--|
| | Ref. No. | Inch size | Ref. No. | Inch size | Ref. No. | Inch size | |
| 36 | 8.0 x 1.2 | SL0008036079HM | 3/16" x .034" | SL003D036079HM | .187" x .034" | SL034Z036079HM | |
| | 10.0 x 1.6 | SL0010036079HM | 7/32" x .039" | SL007E036079HM | .250" x .040" | SL040Z036079HM | |
| | 12.0 x 2.0 | SL0012036079HM | 1/4" x .042" | SL001B036079HM | .275" x .042" | SL042Z036079HM | |
| | 14 x 2.5 | SL0014036079HM | 9/32" x .046" | SL009E036079HM | .281" x .046" | SL046Z036079HM | |
| | | | 5/16" x .050" | SL005D036079HM | .328" x .050" | SL050Z036079HM | |
| | | | 1/2" x .102" | SL001A036079HM | .328" x .055" | SL055Z036079HM | |
| | | | | | .50" x .060" | SL060Z036079HM | |
| | 80 | 8.0 x 1.2 | SL0008080079HM | | | | |
| | | 10.0 x 1.6 | SL0010080079HM | | | | |
| | | 12.0 x 2.0 | SL0012080079HM | | | | |
| 14 x 2.5 | | SL0014080079HM | | | | | |

| Overall length / Inch size | BIT FINDER DIN 3126/E 6,3 1/4" | | BIT FINDER DIN 3126/E 11,2 7/16" | |
|----------------------------|--------------------------------------|----------------|--|----------------|
| | Ref. No. | Inch size | Ref. No. | Inch size |
| 3-3/4" | .19"x.036" | SL036Z09563HBF | | |
| | .24"x.038" | SL038Z09563HBF | | |
| | .29"x.042" | SL042Z09563HBF | | |
| | .35"x.046" | SL046Z09563HBF | | |
| | .395"x.050" | SL050Z09563HBF | | |
| | .457"x.055" | SL055Z09563HBF | | |
| 3-7/8" | | | .395"x.050" | SL050Z09863HBF |
| | | | .457"x.055" | SL055Z09863HBF |
| | | | .503"x.060" | SL060Z09863HBF |
| | | | .545"x.062" | SL062Z09863HBF |
| | | | .595"x.065" | SL065Z09863HBF |

| POZI | | INSERT BIT DIN 3126/E 8 Full Shank | | INSERT BIT DIN 3126/C 6,3 Reduced Shank | | INSERT BIT DIN 3126/C 6,3 Bullnose | |
|---------------------|---------------|--|----------------|---|----------------|--|--|
| Overall length / mm | PZ point size | Ref. No. | Ref. No. | Ø dia | Ref. No. | Ø dia | |
| 25 | 0 | | PZ000002563HIR | 3 | | | |
| | 1 | PZ000102563HIF | PZ000102563HIR | 4.5 | | | |
| | 2 | PZ000202563HIF | PZ000202563HIR | 6 | | | |
| | 3 | PZ000302563HIF | PZ000302563HIR | 6 | PZ0003025080ØF | 8 | |
| | 4 | | | | PZ0004025080ØF | 10 | |
| 32 | 0 | | | | | | |
| | 1 | | | | | | |
| | 2 | | | | | | |
| | 3 | | | | PZ0003032080ØF | 8 | |
| | 4 | | | | PZ0004032080ØF | 10 | |
| 50 | 0 | | PZ000005063HIR | 3 | | | |
| | 1 | PZ000105063HIF | PZ000105063HIR | 4.5 | | | |
| | 2 | PZ000205063HIF | PZ000205063HIR | 6 | | | |
| | 3 | PZ000305063HIF | PZ000305063HIR | 6 | | | |
| | 4 | | | | | | |

| POZI | | POWER BIT DIN 3126/E 6,3 Full Shank | | POWER BIT DIN 3126/E 6,3 Reduced Shank | |
|---------------------|---------------|---|-------|--|-------|
| Overall length / mm | PZ point size | Ref. No. | Ø dia | Ref. No. | Ø dia |
| 50 | 0 | PZ000005063HPF | 3 | PZ000005063HPR | 3 |
| | 1 | PZ000105063HPF | 4.5 | PZ000105063HPR | 4.5 |
| | 2 | PZ000205063HPF | 6 | PZ000205063HPR | 6 |
| | 3 | PZ000305063HPF | 6 | PZ000305063HPR | 6 |
| | 4 | | | | |
| 70 | 0 | PZ000007063HPF | 3 | PZ000007063HPR | 3 |
| | 1 | PZ000107063HPF | 4.5 | PZ000107063HPR | 4.5 |
| | 2 | PZ000207063HPF | 6 | PZ000207063HPR | 6 |
| | 3 | PZ000307063HPF | 6 | PZ000307063HPR | 6 |
| | 4 | | | | |
| 150 | 0 | PZ000015063HPF | 3 | PZ000015063HPR | 3 |
| | 1 | PZ000115063HPF | 4.5 | PZ000115063HPR | 4.5 |
| | 2 | PZ000215063HPF | 6 | PZ000215063HPR | 6 |
| | 3 | PZ000315063HPF | 6 | PZ000315063HPR | 6 |

| POZI | | POWER BIT DIN 3126/E 8 Reduced Shank | |
|---------------------|---------------|--|--------|
| Overall length / mm | PZ point size | Ref. No. | Ø Dia. |
| 32 | 1 | PZ000103279HPR | 4.5 |
| | 2 | PZ000203279HPR | 6 |
| | 3 | PZ000303279HPR | 8 |
| | 4 | | |
| 52 | 1 | PZ000105279HPR | 4.5 |
| | 2 | PZ000205279HPR | 6 |
| | 3 | PZ000305279HPR | 8 |
| | 4 | | |
| 76 | 1 | PZ000107679HPR | 4.5 |
| | 2 | PZ000207679HPR | 6 |
| | 3 | PZ000307679HPR | 8 |
| | 4 | | |
| 94 | 1 | PZ000209479HPR | 6 |
| | 2 | PZ000309479HPR | 8 |
| | 4 | | |

RIB DESIGN

| POZI | | INSERT BIT DIN 3126/C 6,3 | | POWER BIT DIN 3126/E 6,3 Full Shank | | POWER BIT DIN 3126/E 6,3 Reduced Shank | |
|---------------------|---------------|------------------------------|----------------|---|----------------|--|----------|
| Overall length / mm | PZ point size | Ref. No. | Ref. No. | Ref. No. | Ref. No. | Ref. No. | Ref. No. |
| 25 | 1 | PZ000102563HRI | | | | | |
| | 2 | PZ000202563HRI | | | | | |
| | 3 | PZ000302563HRI | | | | | |
| | 4 | | | | | | |
| 50 | 1 | | PZ000105063RPF | PZ000105063RPR | | | |
| | 2 | | PZ000205063RPF | PZ000205063RPR | | | |
| | 3 | | PZ000305063RPF | PZ000305063RPR | | | |
| | 4 | | | | | | |
| 70 | 1 | | PZ000107063RPF | PZ000107063RPR | | | |
| | 2 | | PZ000207063RPF | PZ000207063RPR | | | |
| | 3 | | PZ000307063RPF | PZ000307063RPR | | | |
| | 4 | | | | | | |
| 150 | 1 | | | | PZ000115063RPR | | |
| | 2 | | | | PZ000215063RPR | | |
| | 4 | | | | PZ000315063RPR | | |




| POZI | | POWER BIT DIN 3126/E 11,2 Reduced Shank | |
|---------------------|---------------|---|--------|
| Overall length / mm | PZ point size | Ref. No. | Ø Dia. |
| 75 | 1 | PZ000107511HPR | 4.5 |
| | 2 | PZ000207511HPR | 6 |
| | 3 | PZ000307511HPR | 8 |
| | 4 | PZ000407511HPR | 10 |
| 90 | 1 | PZ000109011HPR | 4.5 |
| | 2 | PZ000209011HPR | 6 |
| | 3 | PZ000309011HPR | 8 |
| | 4 | PZ000409011HPR | 10 |

| POZI | | IMPACT BIT DIN 3126/C8 | |
|---------------------|---------------|---------------------------|--|
| Overall length / mm | PZ point size | Ref. No. | |
| 32 | 1 | PZ000103279HMB | |
| | 2 | PZ000203279HMB | |
| | 3 | PZ000303279HMB | |
| | 4 | PZ000403279HMB | |
| 70 | 1 | PZ000107079HMB | |
| | 2 | PZ000207079HMB | |
| | 3 | PZ000307079HMB | |
| | 4 | PZ000407079HMB | |



| Overall length / mm | size | INSERT BIT DIN 3126/C 6,3 | | INSERT BIT TAMPER RESISTANT DIN 3126/C 6,3 | |
|---------------------|------|------------------------------|----------------|--|----------|
| | | Ref. No. | Ref. No. | Ref. No. | Ref. No. |
| 25 | T5 | TX000502563HIF | TX000502563HIT | | |
| | T6 | TX000602563HIF | TX000602563HIT | | |
| | T7 | TX000702563HIF | TX000702563HIT | | |
| | T8 | TX000802563HIF | TX000802563HIT | | |
| | T9 | TX000902563HIF | TX000902563HIT | | |
| | T10 | TX001002563HIF | TX001002563HIT | | |
| | T15 | TX001502563HIF | TX001502563HIT | | |
| | T20 | TX002002563HIF | TX002002563HIT | | |
| | T25 | TX002502563HIF | TX002502563HIT | | |
| | T27 | TX002702563HIF | TX002702563HIT | | |
| | T30 | TX003002563HIF | TX003002563HIT | | |
| | T40 | TX004002563HIF | TX004002563HIT | | |
| | T45 | TX004502563HIF | TX004502563HIT | | |
| | T50 | TX005002563HIF | TX005002563HIT | | |



| Overall length / mm | size | POWER BIT DIN 3126/E 6,3 Full Shank | | POWER BIT DIN 3126/E 6,3 Reduced Shank | | INSERT BIT TAMPER RESISTANT DIN 3126/E 6,3 Reduced Shank | | |
|---------------------|------|---|-----------------|--|----------------|---|----------|--|
| | | Ref. No. | Ref. No. | Ø Dia. | Ref. No. | Ø Dia. | Ref. No. | |
| 50 | T6 | TX000605063HPPF | TX000605063HPR | 3.2 | TX000605063HPT | 3.2 | | |
| | T7 | TX000705063HPPF | TX000705063HPR | 3.2 | TX000705063HPT | 3.2 | | |
| | T8 | TX000805063HPPF | TX000805063HPR | 3.2 | TX000805063HPT | 3.2 | | |
| | T9 | TX000905063HPPF | TX000905063HPR | 3.2 | TX000905063HPT | 3.2 | | |
| | T10 | TX001005063HPPF | TX001005063HPR | 4.0 | TX001005063HPT | 4.0 | | |
| | T15 | TX001505063HPPF | TX001505063HPR | 4.0 | TX001505063HPT | 4.0 | | |
| | T20 | TX002005063HPPF | TX002005063HPR | 4.8 | TX002005063HPT | 4.8 | | |
| | T25 | TX002505063HPPF | TX002505063HPR | 4.8 | TX002505063HPT | 4.8 | | |
| | T27 | TX002705063HPPF | TX002705063HPR | 6.0 | TX002705063HPT | 6.0 | | |
| | T30 | TX003005063HPPF | TX003005063HPR | 6.0 | TX003005063HPT | 6.0 | | |
| | T40 | TX004005063HPPF | TX004005063HPR | 7.0 | TX004005063HPT | 7.0 | | |
| | T45 | TX004505063HPPF | TX004505063HPR | 8.0 | TX004505063HPT | 8.0 | | |
| | T50 | TX005005063HPPF | TX005005063HPR | 9.1 | TX005005063HPT | 9.1 | | |
| | 70 | T6 | TX000607063HPPF | TX000607063HPR | 3.2 | TX000607063HPT | 3.2 | |
| | | T7 | TX000707063HPPF | TX000707063HPR | 3.2 | TX000707063HPT | 3.2 | |
| T8 | | TX000807063HPPF | TX000807063HPR | 3.2 | TX000807063HPT | 3.2 | | |
| T9 | | TX000907063HPPF | TX000907063HPR | 3.2 | TX000907063HPT | 3.2 | | |
| T10 | | TX001007063HPPF | TX001007063HPR | 4.0 | TX001007063HPT | 4.0 | | |
| T15 | | TX001507063HPPF | TX001507063HPR | 4.0 | TX001507063HPT | 4.0 | | |
| T20 | | TX002007063HPPF | TX002007063HPR | 4.8 | TX002007063HPT | 4.8 | | |
| T25 | | TX002507063HPPF | TX002507063HPR | 4.8 | TX002507063HPT | 4.8 | | |
| T27 | | TX002707063HPPF | TX002707063HPR | 6.0 | TX002707063HPT | 6.0 | | |
| T30 | | TX003007063HPPF | TX003007063HPR | 6.0 | TX003007063HPT | 6.0 | | |
| T40 | | TX004007063HPPF | TX004007063HPR | 7.0 | TX004007063HPT | 7.0 | | |
| T45 | | TX004507063HPPF | TX004507063HPR | 8.0 | TX004507063HPT | 8.0 | | |
| T50 | | TX005007063HPPF | TX005007063HPR | 9.1 | TX005007063HPT | 9.1 | | |
| 150 | | T6 | TX000615063HPPF | TX000615063HPR | 3.2 | TX000615063HPT | 3.2 | |
| | | T7 | TX000715063HPPF | TX000715063HPR | 3.2 | TX000715063HPT | 3.2 | |
| | T8 | TX000815063HPPF | TX000815063HPR | 3.2 | TX000815063HPT | 3.2 | | |
| | T9 | TX000915063HPPF | TX000915063HPR | 3.2 | TX000915063HPT | 3.2 | | |
| | T10 | TX001015063HPPF | TX001015063HPR | 4.0 | TX001015063HPT | 4.0 | | |
| | T15 | TX001515063HPPF | TX001515063HPR | 4.0 | TX001515063HPT | 4.0 | | |
| | T20 | TX002015063HPPF | TX002015063HPR | 4.8 | TX002015063HPT | 4.8 | | |
| | T25 | TX002515063HPPF | TX002515063HPR | 4.8 | TX002515063HPT | 4.8 | | |
| | T27 | TX002715063HPPF | TX002715063HPR | 6.0 | TX002715063HPT | 6.0 | | |
| | T30 | TX003015063HPPF | TX003015063HPR | 6.0 | TX003015063HPT | 6.0 | | |
| | T40 | TX004015063HPPF | TX004015063HPR | 7.0 | TX004015063HPT | 7.0 | | |
| | T45 | TX004515063HPPF | TX004515063HPR | 8.0 | TX004515063HPT | 8.0 | | |
| | T50 | TX005015063HPPF | TX005015063HPR | 9.1 | TX005015063HPT | 9.1 | | |



| Overall length / mm | size | IMPACT BIT DIN 3126/C 8 | | INSERT BIT TAMPER RESISTANT DIN 3126/C 8 | | IMPACT BIT | | INSERT BIT TAMPER RESISTANT | | |
|---------------------|------|----------------------------|----------------|--|----------------|------------|----------|--------------------------------|----------|--|
| | | Ref. No. | Ref. No. | Ref. No. | Ref. No. | Ref. No. | Ref. No. | Ref. No. | Ref. No. | |
| 30 | T15 | TX001503063HMB | TX001503063HMT | TX001503010HMB | TX001503010HMT | | | | | |
| | T20 | TX002003063HMB | TX002003063HMT | TX002003010HMB | TX002003010HMT | | | | | |
| | T25 | TX002503063HMB | TX002503063HMT | TX002503010HMB | TX002503010HMT | | | | | |
| | T27 | TX002703063HMB | TX002703063HMT | TX002703010HMB | TX002703010HMT | | | | | |
| | T30 | TX003003063HMB | TX003003063HMT | TX003003010HMB | TX003003010HMT | | | | | |
| | T40 | TX004003063HMB | TX004003063HMT | TX004003010HMB | TX004003010HMT | | | | | |
| | T45 | TX004503063HMB | TX004503063HMT | TX004503010HMB | TX004503010HMT | | | | | |
| | T50 | TX005003063HMB | TX005003063HMT | TX005003010HMB | TX005003010HMT | | | | | |
| | T55 | TX005503063HMB | TX005503063HMT | TX005503010HMB | TX005503010HMT | | | | | |
| | T60 | TX006003063HMB | TX006003063HMT | TX006003010HMB | TX006003010HMT | | | | | |
| | 70 | T15 | TX001507063HMB | TX001507063HMT | | | | | | |
| | | T20 | TX002007063HMB | TX002007063HMT | | | | | | |
| T25 | | TX002507063HMB | TX002507063HMT | | | | | | | |
| T27 | | TX002707063HMB | TX002707063HMT | | | | | | | |
| T30 | | TX003007063HMB | TX003007063HMT | | | | | | | |
| T40 | | TX004007063HMB | TX004007063HMT | | | | | | | |
| 75 | T45 | TX004507063HMB | TX004507063HMT | | | | | | | |
| | T50 | TX005007063HMB | TX005007063HMT | | | | | | | |
| | T55 | TX005507063HMB | TX005507063HMT | | | | | | | |
| | T60 | TX006007063HMB | TX006007063HMT | | | | | | | |
| | T15 | | | TX001507510HMB | TX001507510HMT | | | | | |
| | T20 | | | TX002007510HMB | TX002007510HMT | | | | | |
| | T25 | | | TX002507510HMB | TX002507510HMT | | | | | |
| | T27 | | | TX002707510HMB | TX002707510HMT | | | | | |
| | T30 | | | TX003007510HMB | TX003007510HMT | | | | | |
| | T40 | | | TX004007510HMB | TX004007510HMT | | | | | |
| | T45 | | | TX004507510HMB | TX004507510HMT | | | | | |
| | T50 | | | TX005007510HMB | TX005007510HMT | | | | | |
| T55 | | | TX005507510HMB | TX005507510HMT | | | | | | |
| T60 | | | TX006007563HMB | TX006007563HMT | | | | | | |

mm size


| Overall length / mm | A/mm | INSERT BIT DIN 3126/C 6,3 | POWER BIT DIN 3126/E 6,3 Full Shank | POWER BIT DIN 3126/E 6,3 Reduced Shank | INSERT BIT TAMPER RESISTANT DIN 3126/C 6,3 | POWER BIT TAMPER RESISTANT DIN 3126/E 6,3 Reduced Shank |
|---------------------|----------------|------------------------------|---|--|--|--|
| | | Ref. No. | Ref. No. | Ref. No. | Ref. No. | Ref. No. |
| 25 | 1.5 | HX001502563HIF | | | HX001502563HIT | |
| | 2 | HX002002563HIF | | | HX002002563HIT | |
| | 2.5 | HX002502563HIF | | | HX002502563HIT | |
| | 3 | HX003002563HIF | | | HX003002563HIT | |
| | 4 | HX004002563HIF | | | HX004002563HIT | |
| | 5 | HX005002563HIF | | | HX005002563HIT | |
| | 5.5 | HX005502563HIF | | | HX005502563HIT | |
| | 6 | HX006002563HIF | | | HX006002563HIT | |
| | 7 | HX007002563HIF | | | HX007002563HIT | |
| | 8 | HX008002563HIF | | | HX008002563HIT | |
| 10 | HX010002563HIF | | | HX010002563HIT | | |
| 50 | 1.5 | | HX001505063HPF | HX001505063HPR | | HX001505063HPT |
| | 2 | | HX002005063HPF | HX002005063HPR | | HX002005063HPT |
| | 2.5 | | HX002505063HPF | HX002505063HPR | | HX002505063HPT |
| | 3 | | HX003005063HPF | HX003005063HPR | | HX003005063HPT |
| | 4 | | HX004005063HPF | HX004005063HPR | | HX004005063HPT |
| | 5 | | HX005005063HPF | HX005005063HPR | | HX005005063HPT |
| | 5.5 | | HX005505063HPF | HX005505063HPR | | HX005505063HPT |
| | 6 | | HX006005063HPF | HX006005063HPR | | HX006005063HPT |
| | 7 | | HX007005063HPF | HX007005063HPR | | HX007005063HPT |
| | 8 | | HX008005063HPF | HX008005063HPR | | HX008005063HPT |
| 10 | | HX010005063HPF | HX010005063HPR | | HX010005063HPT | |
| 70 | 1.5 | | HX001507063HPF | HX001507063HPR | | HX001507063HPT |
| | 2 | | HX002007063HPF | HX002007063HPR | | HX002007063HPT |
| | 2.5 | | HX002507063HPF | HX002507063HPR | | HX002507063HPT |
| | 3 | | HX003007063HPF | HX003007063HPR | | HX003007063HPT |
| | 4 | | HX004007063HPF | HX004007063HPR | | HX004007063HPT |
| | 5 | | HX005007063HPF | HX005007063HPR | | HX005007063HPT |
| | 5.5 | | HX005507063HPF | HX005507063HPR | | HX005507063HPT |
| | 6 | | HX006007063HPF | HX006007063HPR | | HX006007063HPT |
| | 7 | | HX007007063HPF | HX007007063HPR | | HX007007063HPT |
| | 8 | | HX008007063HPF | HX008007063HPR | | HX008007063HPT |
| 10 | | HX010007063HPF | HX010007063HPR | | HX010007063HPT | |

inch size

| Overall length / mm | A" | INSERT BIT DIN 3126/C 6,3 | POWER BIT DIN 3126/E 6,3 Full Shank | POWER BIT DIN 3126/E 6,3 Reduced Shank | INSERT BIT TAMPER RESISTANT DIN 3126/C 6,3 | POWER BIT TAMPER RESISTANT DIN 3126/E 6,3 Reduced Shank | |
|---------------------|-------|------------------------------|---|--|--|--|----------------|
| | | Ref. No. | Ref. No. | Ref. No. | Ref. No. | Ref. No. | |
| 25 | .050" | HX001202563HIF | | | HX001202563HIT | | |
| | 1/16" | HX001D02563HIF | | | HX001D02563HIT | | |
| | 5/64" | HX005F02563HIF | | | HX005F02563HIT | | |
| | 3/32" | HX003E02563HIF | | | HX003E02563HIT | | |
| | 7/64" | HX007F02563HIF | | | HX007F02563HIT | | |
| | 1/8" | HX001C02563HIF | | | HX001C02563HIT | | |
| | 9/64" | HX009F02563HIF | | | HX009F02563HIT | | |
| | 5/32" | HX005E02563HIF | | | HX005E02563HIT | | |
| | 3/16" | HX003D02563HIF | | | HX003D02563HIT | | |
| | 7/32" | HX007E02563HIF | | | HX007E02563HIT | | |
| | 1/4" | HX001B02563HIF | | | HX001B02563HIT | | |
| | 5/16" | HX005D02563HIF | | | HX005D02563HIT | | |
| | 3/8" | HX003C02563HIF | | | HX003C02563HIT | | |
| | 50 | .050" | | HX001205063HPF | HX001205063HPR | | HX001205063HPT |
| | | 1/16" | | HX001D05063HPF | HX001D05063HPR | | HX001D05063HPT |
| 5/64" | | | HX005F05063HPF | HX005F05063HPR | | HX005F05063HPT | |
| 3/32" | | | HX003E05063HPF | HX003E05063HPR | | HX003E05063HPT | |
| 7/64" | | | HX007F05063HPF | HX007F05063HPR | | HX007F05063HPT | |
| 1/8" | | | HX001C05063HPF | HX001C05063HPR | | HX001C05063HPT | |
| 9/64" | | | HX009F05063HPF | HX009F05063HPR | | HX009F05063HPT | |
| 5/32" | | | HX005E05063HPF | HX005E05063HPR | | HX005E05063HPT | |
| 3/16" | | | HX003D05063HPF | HX003D05063HPR | | HX003D05063HPT | |
| 7/32" | | | HX007E05063HPF | HX007E05063HPR | | HX007E05063HPT | |
| 1/4" | | | HX001B05063HPF | HX001B05063HPR | | HX001B05063HPT | |
| 5/16" | | | HX005D05063HPF | HX005D05063HPR | | HX005D05063HPT | |
| 3/8" | | | HX003C05063HPF | HX003C05063HPR | | HX003C05063HPT | |
| 70 | | .050" | | HX001207063HPF | HX001207063HPR | | HX001207063HPT |
| | | 1/16" | | HX001D07063HPF | HX001D07063HPR | | HX001D07063HPT |
| | 5/64" | | HX005F07063HPF | HX005F07063HPR | | HX005F07063HPT | |
| | 3/32" | | HX003E07063HPF | HX003E07063HPR | | HX003E07063HPT | |
| | 7/64" | | HX007F07063HPF | HX007F07063HPR | | HX007F07063HPT | |
| | 1/8" | | HX001C07063HPF | HX001C07063HPR | | HX001C07063HPT | |
| | 9/64" | | HX009F07063HPF | HX009F07063HPR | | HX009F07063HPT | |
| | 5/32" | | HX005E07063HPF | HX005E07063HPR | | HX005E07063HPT | |
| | 3/16" | | HX003D07063HPF | HX003D07063HPR | | HX003D07063HPT | |
| | 7/32" | | HX007E07063HPF | HX007E07063HPR | | HX007E07063HPT | |
| | 1/4" | | HX001B07063HPF | HX001B07063HPR | | HX001B07063HPT | |
| | 5/16" | | HX005D07063HPF | HX005D07063HPR | | HX005D07063HPT | |
| | 3/8" | | HX003C07063HPF | HX003C07063HPR | | HX003C07063HPT | |



| Overall length / mm | mm A" | Ref. No. |
|---------------------|-------|----------------|
| | | |
| 32 | 2 | HX002003279HMB |
| | 2.5 | HX002503279HMB |
| | 3 | HX003003279HMB |
| | 4 | HX004003279HMB |
| | 5 | HX005003279HMB |
| | 6 | HX006003279HMB |
| | 7 | HX007003279HMB |
| | 8 | HX008003279HMB |
| | 10 | HX010003279HMB |
| | 70 | 2 |
| 2.5 | | HX002507079HMB |
| 3 | | HX003007079HMB |
| 4 | | HX004007079HMB |
| 5 | | HX005007079HMB |
| 6 | | HX006007079HMB |
| 7 | | HX007007079HMB |
| 8 | | HX008007079HMB |
| 10 | | HX010007079HMB |
| 1-1/4" | | 1/8" |
| | 9/64" | HX009F03279HMB |
| | 5/32" | HX005E03279HMB |
| | 3/16" | HX003D03279HMB |
| | 7/32" | HX007E03279HMB |
| | 1/4" | HX007B03279HMB |
| | 5/16" | HX005D03279HMB |
| | 3/8" | HX003C03279HMB |
| 2-3/4" | 1/8" | HX001C07079HMB |
| | 9/64" | HX009F07079HMB |
| | 5/32" | HX005E07079HMB |
| | 3/16" | HX003D07079HMB |
| | 7/32" | HX007E07079HMB |
| | 1/4" | HX001B07079HMB |
| | 5/16" | HX005D07079HMB |
| | 3/8" | HX003C07079HMB |




| Overall length / mm | mm A" | Ref. No. |
|---------------------|-------|----------------|
| | | |
| 30 | 3 | HX003003010HMB |
| | 4 | HX004003010HMB |
| | 5 | HX005003010HMB |
| | 6 | HX006003010HMB |
| | 7 | HX007003010HMB |
| | 8 | HX008003010HMB |
| | 10 | HX010003010HMB |
| | 12 | HX012003010HMB |
| | 14 | HX014003010HMB |
| | 75 | 3 |
| 4 | | HX004007510HMB |
| 5 | | HX005007510HMB |
| 6 | | HX006007510HMB |
| 7 | | HX007007510HMB |
| 8 | | HX008007510HMB |
| 10 | | HX010007510HMB |
| 12 | | HX012007510HMB |
| 14 | | HX014007510HMB |
| 1-3/16" | | 1/8" |
| | 9/64" | HX009F03010HMB |
| | 5/32" | HX005E03010HMB |
| | 3/16" | HX003D03010HMB |
| | 7/32" | HX007E03010HMB |
| | 1/4" | HX001B03010HMB |
| | 5/16" | HX005D03010HMB |
| | 3/8" | HX003C03010HMB |
| | 7/16" | HX007D03010HMB |
| | 1/2" | HX001A03010HMB |
| 3" | 1/8" | HX001C07610HMB |
| | 9/64" | HX009F07610HMB |
| | 5/32" | HX005E07610HMB |
| | 3/16" | HX003D07610HMB |
| | 7/32" | HX007E07610HMB |
| | 1/4" | HX001B07610HMB |
| | 5/16" | HX005D07610HMB |
| | 3/8" | HX003C07610HMB |
| | 7/16" | HX007D07610HMB |
| | 1/2" | HX001A07610HMB |



| Overall length / mm | A/mm | Ref. No. |
|---------------------|------|----------------|
| | | |
| 55 | 4 | HX004005511HMB |
| | 5 | HX005005511HMB |
| | 6 | HX006005511HMB |
| | 7 | HX007005511HMB |
| | 8 | HX008005511HMB |
| | 10 | HX010005511HMB |
| | 12 | HX012005511HMB |
| | 14 | HX014005511HMB |
| | 17 | HX017005511HMB |
| | 90 | 4 |
| 5 | | HX005009011HMB |
| 6 | | HX006009011HMB |
| 7 | | HX007009011HMB |
| 8 | | HX008009011HMB |
| 10 | | HX010009011HMB |
| 12 | | HX012009011HMB |
| 14 | | HX014009011HMB |
| 17 | | HX017009011HMB |



| Overall length / mm | A/mm | Ref. No. | Ref. No. |
|---------------------|------|-----------------|-----------------|
| | | | |
| 25 | 1.5 | BH001502563HIF | |
| | 2 | BH002002563HIF | |
| | 2.5 | BH002502563HIF | |
| | 3 | BH003002563HIF | |
| | 4 | BH004002563HIF | |
| | 5 | BH005002563HIF | |
| | 6 | BH006002563HIF | |
| | 7 | BH007002563HIF | |
| | 8 | BH008002563HIF | |
| | 50 | 1.5 | |
| 2 | | | BH002005063HPPF |
| 2.5 | | | BH002505063HPPF |
| 3 | | | BH003005063HPPF |
| 4 | | | BH004005063HPPF |
| 5 | | | BH005005063HPPF |
| 6 | | | BH006005063HPPF |
| 7 | | | BH007005063HPPF |
| 8 | | BH008005063HPPF | |



| Overall length / mm | A" | Ref. No. | Ref. No. |
|---------------------|-------|----------------|-----------------|
| | | | |
| 1" | 5/64" | BH005F02563HIF | |
| | 3/32" | BH003E02563HIF | |
| | 7/64" | BH007F02563HIF | |
| | 1/8" | BH001C02563HIF | |
| | 9/64" | BH009F02563HIF | |
| | 5/32" | BH005E02563HIF | |
| | 3/16" | BH003D02563HIF | |
| | 7/32" | BH007E02563HIF | |
| | 1/4" | BH001B02563HIF | |
| | 5/16" | BH005D02563HIF | |
| 2" | 5/64" | | BH005F05063HPPF |
| | 3/32" | | BH003E05063HPPF |
| | 7/64" | | BH007F05063HPPF |
| | 1/8" | | BH001C05063HPPF |
| | 9/64" | | BH009F05063HPPF |
| | 5/32" | | BH005E05063HPPF |
| | 3/16" | | BH003D05063HPPF |
| | 7/32" | | BH007E05063HPPF |
| | 1/4" | | BH001B05063HPPF |
| | 5/16" | | BH005D05063HPPF |

| Overall length / mm | SQ point size | INSERT BIT DIN 3126/C 6,3 | | POWER BIT DIN 3126/E 6,3 Full Shank | | POWER BIT DIN 3126/E 6,3 Reduced Shank | | INSERT BIT (2PCS.) DIN 3126/C 6,3 | | POWER BIT (2PCS.) DIN 3126/E 6,3 Full Shank | |
|---------------------|---------------|------------------------------|----------------|---|-------|--|----------|---|----------------|--|--|
| | | Ref. No. | Ref. No. | Ref. No. | Ø dia | Ref. No. | Ref. No. | Ref. No. | Ref. No. | | |
| 25 | 0 | SQ000002563HIF | | | | | | | | | |
| | 1 | SQ000102563HIF | | | | | | SQ000102563HI2 | | | |
| | 2 | SQ000202563HIF | | | | | | SQ000202563HI2 | | | |
| | 3 | SQ000302563HIF | | | | | | SQ000302563HI2 | | | |
| 50 | 0 | SQ000005063HIF | SQ000005063HPF | SQ000005063HPR | 4 | | | | | | |
| | 1 | SQ000105063HIF | SQ000105063HPF | SQ000105063HPR | 4 | | | | SQ000105063HP2 | | |
| | 2 | SQ000205063HIF | SQ000205063HPF | SQ000205063HPR | 5 | | | | SQ000205063HP2 | | |
| | 3 | SQ000305063HIF | SQ000305063HPF | SQ000305063HPR | 6 | | | | SQ000305063HP2 | | |
| 70 | 0 | | SQ000007063HPF | SQ000007063HPR | 4 | | | | | | |
| | 1 | | SQ000107063HPF | SQ000107063HPR | 4 | | | | SQ000107063HP2 | | |
| | 2 | | SQ000207063HPF | SQ000207063HPR | 5 | | | | SQ000207063HP2 | | |
| | 3 | | SQ000307063HPF | SQ000307063HPR | 6 | | | | SQ000307063HP2 | | |
| 90 | 0 | | | SQ000009063HPR | 4 | | | | | | |
| | 1 | | | SQ000109063HPR | 4 | | | | | | |
| | 2 | | | SQ000209063HPR | 5 | | | | | | |
| | 3 | | | SQ000309063HPR | 6 | | | | | | |
| 150 | 0 | | SQ000015063HPF | SQ000015063HPR | 4 | | | | | | |
| | 1 | | SQ000115063HPF | SQ000115063HPR | 4 | | | | SQ000115063HP2 | | |
| | 2 | | SQ000215063HPF | SQ000215063HPR | 5 | | | | SQ000215063HP2 | | |
| | 3 | | SQ000315063HPF | SQ000315063HPR | 6 | | | | SQ000315063HP2 | | |

| Overall length / mm | SP point size | INSERT BIT DIN 3126/C 6,3 | | IMPACT BIT DIN 3126/C 8 | | IMPACT BIT | |
|---------------------|---------------|------------------------------|----------------|----------------------------|----------------|------------|----------|
| | | Ref. No. | Ref. No. | Ref. No. | Ref. No. | Ref. No. | Ref. No. |
| 25 | 4 | SP004002563HIF | | | | | |
| | 5 | SP005002563HIF | | | | | |
| | 6 | SP006002563HIF | | | | | |
| | 8 | SP008002563HIF | | | | | |
| | 10 | SP010002563HIF | | | | | |
| | 30 | 4 | | SP004003079HMB | SP004003010HMB | | |
| 5 | | | SP005003079HMB | SP005003010HMB | | | |
| 6 | | | SP006003079HMB | SP006003010HMB | | | |
| 8 | | | SP008003079HMB | SP008003010HMB | | | |
| 10 | | | SP010003079HMB | SP010003010HMB | | | |
| 12 | | | SP012003079HMB | SP012003010HMB | | | |
| 14 | | | SP014003079HMB | SP014003010HMB | | | |
| 16 | | | | SP016003010HMB | | | |
| 70 | 4 | | SP004007079HMB | | | | |
| | 5 | | SP005007079HMB | | | | |
| | 6 | | SP006007079HMB | | | | |
| | 8 | | SP008007079HMB | | | | |
| | 10 | | SP010007079HMB | | | | |
| | 12 | | SP012007079HMB | | | | |
| 75 | 4 | | | SP004007510HMB | | | |
| | 5 | | | SP005007510HMB | | | |
| | 6 | | | SP006007510HMB | | | |
| | 8 | | | SP008007510HMB | | | |
| | 10 | | | SP010007510HMB | | | |
| | 12 | | | SP012007510HMB | | | |
| 14 | | | SP014007510HMB | | | | |
| 16 | | | SP016007510HMB | | | | |

| Overall length / size | | INSERT BIT DIN 3126/C 6,3 | | IMPACT BIT DIN 3126/C 8 | | IMPACT BIT | |
|-----------------------|----|------------------------------|--|----------------------------|----------------|----------------|--|
| | | 1/4" | | 5/16" | | 10mm | |
| Ref. No. | | Ref. No. | | Ref. No. | | Ref. No. | |
| 25 | 4 | RB004002563HIF | | | | | |
| | 5 | RB005002563HIF | | | | | |
| | 6 | RB006002563HIF | | | | | |
| | 7 | RB007002563HIF | | | | | |
| | 8 | RB008002563HIF | | | | | |
| 30 | 4 | | | RB004003079HMB | | | |
| | 5 | | | RB005003079HMB | | RB005003010HMB | |
| | 6 | | | RB006003079HMB | | RB006003010HMB | |
| | 7 | | | RB007003079HMB | | | |
| | 8 | | | RB008003079HMB | | RB008003010HMB | |
| | 9 | | | RB009003079HMB | | | |
| | 10 | | | RB010003079HMB | | RB010003010HMB | |
| | 12 | | | RB012003079HMB | | RB012003010HMB | |
| 75 | 14 | | | RB014003079HMB | | RB014003010HMB | |
| | 5 | | | | | RB005007510HMB | |
| | 6 | | | | | RB006007510HMB | |
| | 8 | | | | | RB008007510HMB | |
| | 10 | | | | | RB010007510HMB | |
| | 12 | | | | | RB012007510HMB | |
| 14 | | | | | RB014007510HMB | | |

| Overall length / size | | INSERT BIT DIN 3126/C 6,3 | | IMPACT BIT DIN 3126/C 8 | |
|-----------------------|----|------------------------------|--|----------------------------|--|
| | | 1/4" | | 5/16" | |
| Ref. No. | | Ref. No. | | Ref. No. | |
| 25 | 4 | SN000402563HIF | | | |
| | 5 | SN000502563HIF | | | |
| | 6 | SN000602563HIF | | | |
| | 8 | SN000802563HIF | | | |
| | 10 | SN001002563HIF | | | |
| | 12 | SN001202563HIF | | | |
| 38 | 14 | SN001402563HIF | | | |
| | 4 | | | SN000403879HMB | |
| | 5 | | | SN000503879HMB | |
| | 6 | | | SN000603879HMB | |
| | 8 | | | SN000803879HMB | |
| | 10 | | | SN001003879HMB | |
| | 12 | | | SN001203879HMB | |
| | 14 | | | SN001403879HMB | |

| Overall length / size | | INSERT BIT DIN 3126/C 6,3 | | POWER BIT DIN 3126/E 6,3 | |
|-----------------------|-------|------------------------------|--|-----------------------------|--|
| | | 1/4" | | 5/16" | |
| Ref. No. | | Ref. No. | | Ref. No. | |
| 1" | 3/32" | CU003E02563HIF | | | |
| | 1/8" | CU001C02563HIF | | | |
| | 5/32" | CU005E02563HIF | | | |
| | 3/16" | CU003D02563HIF | | | |
| | 1/4" | CU001B02563HIF | | | |
| 2" | 1/8" | | | CU001C05063HPF | |
| | 5/32" | | | CU005E05063HPF | |
| | 3/16" | | | CU003D05063HPF | |
| | 1/4" | | | CU001B05063HPF | |




| Overall length / mm | size | PHILLIPS DIN 3126/C 6,3 | | RIB PHILLIPS DIN 3126/C 6,3 | | SQUARE DIN 3126/C 6,3 | | POZI DIN 3126/C 6,3 | | RIB POZI DIN 3126/C 6,3 | |
|---------------------|------|----------------------------|----------------|--------------------------------|----------------|--------------------------|----------|------------------------|----------|----------------------------|--|
| | | Ref. No. | Ref. No. | Ref. No. | Ref. No. | Ref. No. | Ref. No. | Ref. No. | Ref. No. | Ref. No. | |
| 25 | 1 | TRPH00102563HI | TRPH00102563HR | TRSQ000102563H | TRPZ00102563HI | TRPZ00102563HR | | | | | |
| | 2 | TRPH00202563HI | TRPH00202563HR | TRSQ000202563H | TRPZ00202563HI | TRPZ00202563HR | | | | | |
| | 3 | TRPH00302563HI | TRPH00302563HR | TRSQ000302563H | TRPZ00302563HI | TRPZ00302563HR | | | | | |

| Overall length / mm | size | HEX DIN 3126/C 6,3 | |
|---------------------|-------|-----------------------|----------------|
| | | Ref. No. | Ref. No. |
| 25 | 1.5 | TRHX001502563H | |
| | 2 | TRHX002002563H | |
| | 2.5 | TRHX002502563H | |
| | 3 | TRHX003002563H | |
| | 4 | TRHX004002563H | |
| | 5 | TRHX005002563H | |
| 25 | 6 | TRHX006002563H | |
| | 5/64" | | TRHX005F02563H |
| | 3/32" | | TRHX003E02563H |
| | 7/64" | | TRHX007F02563H |
| | 1/8" | | TRHX001C02563H |
| | 9/64" | | TRHX009F02563H |
| | 5/32" | | TRHX005E02563H |
| 25 | 7/32" | | TRHX007E02563H |
| | 1/4" | | TRHX001B02563H |


| Overall length / mm | size | STAR DIN 3126/C 6,3 | | STAR TAMPER RESISTANT DIN 3126/C 6,3 | |
|---------------------|------|------------------------|----------------|---|----------|
| | | Ref. No. | Ref. No. | Ref. No. | Ref. No. |
| 25 | T8 | TRTX00802563HI | TRTX00802563HT | | |
| | T9 | TRTX00902563HI | TRTX00902563HT | | |
| | T10 | TRTX01002563HI | TRTX01002563HT | | |
| | T15 | TRTX01502563HI | TRTX01502563HT | | |
| | T20 | TRTX02002563HI | TRTX02002563HT | | |
| | T25 | TRTX02502563HI | TRTX02502563HT | | |
| | T27 | TRTX02702563HI | TRTX02702563HT | | |
| | T30 | TRTX03002563HI | TRTX03002563HT | | |
| 25 | T40 | TRTX04002563HI | TRTX04002563HT | | |

| Overall length / mm | size | SLOTTED DIN 3126/C 6,3 | |
|---------------------|---------|---------------------------|----------|
| | | Ref. No. | Ref. No. |
| 25 | 3.5x0.6 | TRSL350602563H | |
| | 4.0x0.8 | TRSL400802563H | |
| | 4.5x0.6 | TRSL450602563H | |
| | 5.0x0.8 | TRSL500802563H | |
| | 5.0x1.0 | TRSL501002563H | |
| | 6.0x1.0 | TRSL601002563H | |
| | 6.5x1.2 | TRSL651202563H | |
| | 7.0x1.2 | TRSL701202563H | |
| | 8.0x1.2 | TRSL801202563H | |
| 25 | 8.0x1.6 | TRSL801602563H | |




| Overall length / mm | | T-W BIT | | |
|---------------------|---|------------------------------|-----------------------------|----------------------------|
| | | INSERT BIT DIN 3126/C 6,3 | POWER BIT DIN 3126/E 6,3 | IMPACT BIT DIN 3126/C 8 |
| 25 | 0 | TW000002563HIF | | |
| | 1 | TW000102563HIF | | |
| | 2 | TW000202563HIF | | |
| | 3 | TW000302563HIF | | |
| | 4 | TW000402563HIF | | |
| | 5 | TW000502563HIF | | |
| | 6 | TW000602563HIF | | |
| | 7 | TW000702563HIF | | |
| 32 | 1 | | TW000103263HPF | |
| | 2 | | TW000203263HPF | |
| | 3 | | TW000303263HPF | TW000303279HMB |
| | 4 | | TW000403263HPF | TW000403279HMB |
| | 5 | | TW000503263HPF | TW000503279HMB |
| | 6 | | TW000603263HPF | TW000603279HMB |
| | 7 | | TW000703263HPF | TW000703279HMB |
| 50 | 1 | | TW000105063HPF | |
| | 2 | | TW000205063HPF | |
| | 3 | | TW000305063HPF | |
| | 4 | | TW000405063HPF | |
| | 5 | | TW000505063HPF | |
| | 6 | | TW000605063HPF | |
| | 7 | | TW000705063HPF | |


| Overall length / mm | | T-S BIT | | |
|---------------------|-------|------------------------------|-----------------------------|----------------------------|
| | | INSERT BIT DIN 3126/C 6,3 | POWER BIT DIN 3126/E 6,3 | IMPACT BIT DIN 3126/C 8 |
| 25 | 0 | TS000002563HIF | | |
| | 1 | TS000102563HIF | | |
| | 2 | TS000202563HIF | | |
| | 3 | TS000302563HIF | | |
| | 4 | TS000402563HIF | | |
| | 5 | TS000502563HIF | | |
| | 6 | TS000602563HIF | | |
| | 8 | TS000802563HIF | | |
| | 10 | TS010002563HIF | | |
| | 1/4" | TS001B02563HIF | | |
| 32 | 8 | | | TS008003279HMB |
| | 10 | | | TS010003279HMB |
| | 1/4" | | | TS001B03279HMB |
| | 5/16" | | | TS005D03279HMB |
| | 3/8" | | | TS003C03279HMB |
| 50 | 0 | TS000005063HIF | | |
| | 1 | TS000105063HIF | TS000105063HPF | |
| | 2 | TS000205063HIF | TS000205063HPF | |
| | 3 | TS000305063HIF | TS000305063HPF | |
| | 4 | TS000405063HIF | TS000405063HPF | |
| | 5 | TS000505063HIF | TS000505063HPF | |
| | 6 | TS000605063HIF | TS000605063HPF | |
| | 8 | TS000805063HIF | TS000805063HPF | |
| | 10 | TS010005063HIF | TS010005063HPF | |
| | 1/4" | TS001B05063HIF | TS001B05063HPF | |



| Overall length / mm | size | Ref. No. | Ref. No. |
|---------------------|------|----------------|----------------|
| 45 | 1+1 | DPH1104563HP13 | |
| | 2+2 | DPH2204563HP13 | |
| | 3+3 | DPH3304563HP13 | |
| 50 | 1+1 | | DPH1105063HP09 |
| | 2+2 | | DPH2205063HP09 |
| | 3+3 | | DPH3305063HP09 |
| 65 | 1+1 | DPH1106563HP13 | |
| | 2+2 | DPH2206563HP13 | |
| | 3+3 | DPH3306563HP13 | |
| 75 | 1+1 | | DPH1107563HP09 |
| | 2+2 | | DPH2207563HP09 |
| | 3+3 | | DPH3307563HP09 |
| 100 | 1+1 | | DPH1110063HP09 |
| | 2+2 | | DPH2210063HP09 |
| | 3+3 | | DPH3310063HP09 |
| 110 | 1+1 | DPH1111063HP13 | |
| | 2+2 | DPH2211063HP13 | |
| | 3+3 | DPH3311063HP13 | |
| 150 | 1+1 | DPH1115063HP13 | DPH1115063HP09 |
| | 2+2 | DPH2215063HP13 | DPH2215063HP09 |
| | 3+3 | DPH3315063HP13 | DPH3315063HP09 |



| Overall length / mm | size | Ref. No. | Ref. No. |
|---------------------|-------|----------------|----------------|
| 45 | 1+4.5 | DHS014504563HI | DZS014504563HI |
| | 1+5.0 | DHS015004563HI | DZS015004563HI |
| | 2+5.5 | DHS025504563HI | DZS025504563HI |
| | 2+6.0 | DHS026004563HI | DZS026004563HI |
| | 2+8.0 | DHS028004563HI | DZS028004563HI |
| | 3+6.5 | DHS036504563HI | DZS036504563HI |
| | 3+7.0 | DHS037004563HI | DZS037004563HI |
| 50 | 1+4.5 | DHS014505063HI | DZS014505063HI |
| | 1+5.0 | DHS015005063HI | DZS015005063HI |
| | 2+5.5 | DHS025505063HI | DZS025505063HI |
| | 2+6.0 | DHS026005063HI | DZS026005063HI |
| | 2+8.0 | DHS028005063HI | DZS028005063HI |
| | 3+6.5 | DHS036505063HI | DZS036505063HI |
| | 3+7.0 | DHS037005063HI | DZS037005063HI |
| 60 | 1+4.5 | DHS014506063HI | DZS014506063HI |
| | 1+5.0 | DHS015006063HI | DZS015006063HI |
| | 2+5.5 | DHS025506063HI | DZS025506063HI |
| | 2+6.0 | DHS026006063HI | DZS026006063HI |
| | 2+8.0 | DHS028006063HI | DZS028006063HI |
| | 3+6.5 | DHS036506063HI | DZS036506063HI |
| | 3+7.0 | DHS037006063HI | DZS037006063HI |



| Overall length / mm | size | Ref. No. | Ref. No. |
|---------------------|------|----------------|----------------|
| 45 | 1+2 | DPH010204563HI | DPZ010204563HI |
| | 2+2 | DPH020204563HI | DPZ020204563HI |
| | 2+3 | DHP020304563HI | DPZ020304563HI |
| 50 | 1+2 | DPH010205063HI | DPZ010205063HI |
| | 2+2 | DPH020205063HI | DPZ020205063HI |
| | 2+3 | DPH020305063HI | DPZ020305063HI |
| 60 | 1+2 | DPH010206063HI | DPZ010206063HI |
| | 2+2 | DPH020206063HI | DPZ020206063HI |
| | 2+3 | DPH020306063HI | |

*Assorted combination are available upon request.





ADAPTERS



| Overall length / mm | INSERT TYPE DIN 3126/C 6,3 Ball Type | | POWER TYPE DIN 3126/E 6,3 Ball Type | | POWER TYPE DIN 3126/E 6,3 Pin Type | |
|---------------------|--|------|---|----------------|--|----------|
| | Hex. | Squ. | Ref. No. | Ref. No. | Ref. No. | Ref. No. |
| 25 | 1/4" | 1/4" | ATB1B1B02563HI | | | |
| 30 | 1/4" | 1/4" | ATB1B1B03063HI | | | |
| 50 | 1/4" | 1/4" | | ATB1B1B05063HP | | |
| | 1/4" | 1/4" | | | ATP1B1B05063HP | |
| 65 | 1/4" | 1/4" | | ATB1B1B06563HI | | |
| | 1/4" | 1/4" | | | ATP1B1B06563HP | |
| 60 | 1/4" | 1/4" | | ATB1B1B07563HI | | |
| | 1/4" | 1/4" | | | ATP1B1B07563HP | |
| 150 | 1/4" | 1/4" | | ATB1B1B15063HI | | |
| | 1/4" | 1/4" | | | ATP1B1B15063HP | |

| Overall length / mm | POWER TYPE DIN 3126/E 6,3 Ball Type | | POWER TYPE DIN 3126/E 6,3 Pin Type | |
|---------------------|---|------|--|----------------|
| | Hex. | Squ. | Ref. No. | Ref. No. |
| 25 | 1/4" | 3/8" | | |
| 30 | 1/4" | 3/8" | | |
| 50 | 1/4" | 3/8" | ATB1B3C05063HP | |
| | 1/4" | 3/8" | | ATP1B3C05063HP |
| 65 | 1/4" | 3/8" | ATB1B3C06563HP | |
| | 1/4" | 3/8" | | ATP1B3C06563HP |
| 60 | 1/4" | 3/8" | ATB1B3C07563HP | |
| | 1/4" | 3/8" | | ATP1B3C07563HP |
| 150 | 1/4" | 3/8" | ATB1B3C15063HP | |
| | 1/4" | 3/8" | | ATP1B3C15063HP |



| Overall length / mm | POWER TYPE DIN 3126/E 11,2 Ball Type | | POWER TYPE DIN 3126/E 11,2 Pin Type | | POWER TYPE DIN 3126/E 11,2 Pin Type | |
|---------------------|--|------|---|----------------|---|----------------|
| | Hex. | Squ. | Ref. No. | Ref. No. | Squ. | Ref. No. |
| 50 | 7/16" | 3/8" | ATB7D3C05063HP | | 1/2" | |
| | 7/16" | 3/8" | | ATP7D3C05063HP | 1/2" | ATP7D1A05063HP |
| 65 | 7/16" | 3/8" | ATB7D3C06563HP | | 1/2" | |
| | 7/16" | 3/8" | | ATP7D3C06563HP | 1/2" | ATP7D1A06563HP |
| 75 | 7/16" | 3/8" | ATB7D3C07563HP | | 1/2" | |
| | 7/16" | 3/8" | | ATP7D3C07563HP | 1/2" | ATP7D1A07563HP |
| 150 | 7/16" | 3/8" | ATB7D3C15063HP | | 1/2" | |
| | 7/16" | 3/8" | | ATP7D3C15063HP | 1/2" | ATP7D1A15063HP |

| Hex. | Squ. | POWER TYPE DIN 3126/E 6,3 Ball Type | | POWER TYPE DIN 3126/E 6,3 Pin Type | |
|------|------|---|----------|--|----------|
| | | Ref. No. | Ref. No. | Ref. No. | Ref. No. |
| 1/4" | 1/2" | ATB1B1A05063HP | | | |
| 1/4" | 1/2" | | | ATP1B1A05063HP | |
| 1/4" | 1/2" | ATB1B1A06563HP | | | |
| 1/4" | 1/2" | | | ATP1B1A06563HP | |
| 1/4" | 1/2" | ATB1B1A07563HP | | | |
| 1/4" | 1/2" | | | ATP1B1A07563HP | |
| 1/4" | 1/2" | ATB1B1A15063HP | | | |
| 1/4" | 1/2" | | | ATP1B1A15063HP | |




NUTSETTERS

| Overall length / mm | A/mm | LOBULAR MAGNETIC DIN 3126/E 6,3 | |
|---------------------|------|------------------------------------|--------|
| | | Ref. No. | A/inch |
| 50 | 6 | NU006005063LMG | 1/4" |
| | 7 | NU007005063LMG | 5/16" |
| | 8 | NU008005063LMG | 3/8" |
| | 10 | NU001005063LMG | 7/16" |
| | 11 | NU001105063LMG | 1/2" |
| | 12 | NU001205063LMG | |
| | 13 | NU001305063LMG | |
| 65 | 6 | NU006006563LMG | 1/4" |
| | 7 | NU007006563LMG | 5/16" |
| | 8 | NU008006563LMG | 3/8" |
| | 10 | NU001006563LMG | 7/16" |
| | 11 | NU001106563LMG | 1/2" |
| | 12 | NU001206563LMG | |
| | 13 | NU001306563LMG | |

| DIFFERENCE | |
|---|---|
| Normal Type | Lobular Type |
|  |  |

| Overall length / mm | A/mm | MAGNETIC TYPE DIN 3126/E 6,3 | NON-MAGNETIC TYPE DIN 3126/E 6,3 | C-RING TYPE DIN 3126/E 6,3 |
|---------------------|------|---------------------------------|-------------------------------------|-------------------------------|
| | | Ref. No. | Ref. No. | Ref. No. |
| 45 | 6 | NU006004563WMG | NU006004563NMG | |
| | 7 | NU007004563WMG | NU007004563NMG | |
| | 8 | NU008004563WMG | NU008004563NMG | NU008004563CTP |
| | 10 | NU001004563WMG | NU001004563NMG | NU001004563CTP |
| | 11 | NU001104563WMG | NU001104563NMG | |
| | 12 | NU001204563WMG | NU001204563NMG | |
| | 13 | NU001304563WMG | NU001304563NMG | |
| 65 | 6 | NU006006563WMG | NU006006563NMG | |
| | 7 | NU007006563WMG | NU007006563NMG | |
| | 8 | NU008006563WMG | NU008006563NMG | NU008006563CTP |
| | 10 | NU001006563WMG | NU001006563NMG | NU001006563CTP |
| | 11 | NU001106563WMG | NU001106563NMG | |
| | 12 | NU001206563WMG | NU001206563NMG | |
| | 13 | NU001306563WMG | NU001306563NMG | |
| 100 | 6 | NU006010063WMG | NU006010063NMG | |
| | 7 | NU007010063WMG | NU007010063NMG | |
| | 8 | NU008010063WMG | NU008010063NMG | |
| | 10 | NU001010063WMG | NU001010063NMG | |
| | 11 | NU001110063WMG | NU001110063NMG | |
| | 12 | NU001210063WMG | NU001210063NMG | |
| | 13 | NU001310063WMG | NU001310063NMG | |
| 150 | 6 | NU006015063WMG | NU006015063NMG | |
| | 7 | NU007015063WMG | NU007015063NMG | |
| | 8 | NU008015063WMG | NU008015063NMG | |
| | 10 | NU001015063WMG | NU001015063NMG | |
| | 11 | NU001115063WMG | NU001115063NMG | |
| | 12 | NU001215063WMG | NU001215063NMG | |
| | 13 | NU001315063WMG | NU001315063NMG | |



| Overall length / inch size | A/inch | MAGNETIC TYPE DIN 3126/E 6,3 | | NON-MAGNETIC TYPE DIN 3126/E 6,3 | | C-RING TYPE DIN 3126/E 6,3 | |
|----------------------------|--------|---------------------------------|----------------|-------------------------------------|----------|-------------------------------|----------|
| | | Ref. No. | Ref. No. | Ref. No. | Ref. No. | Ref. No. | Ref. No. |
| 1-3/4" | 1/4" | NU001B04563WMG | NU001B04563NMG | NU001B04563CTP | | | |
| | 5/16" | NU005D04563WMG | NU005D04563NMG | NU005D04563CTP | | | |
| | 3/8" | NU003C04563WMG | NU003C04563NMG | NU003C04563CTP | | | |
| | 7/16" | NU007D04563WMG | NU007D04563NMG | | | | |
| | 1/2" | NU001A04563WMG | NU001A04563NMG | | | | |
| 2-9/16" | 1/4" | NU001B06563WMG | NU001B06563NMG | NU001B06563CTP | | | |
| | 5/16" | NU005D06563WMG | NU005D06563NMG | NU005D06563CTP | | | |
| | 3/8" | NU003C06563WMG | NU003C06563NMG | NU003C06563CTP | | | |
| | 7/16" | NU007D06563WMG | NU007D06563NMG | | | | |
| | 1/2" | NU001A06563WMG | NU001A06563NMG | | | | |
| 4" | 1/4" | NU001B10063WMG | NU001B10063NMG | | | | |
| | 5/16" | NU005D10063WMG | NU005D10063NMG | | | | |
| | 3/8" | NU003C10063WMG | NU003C10063NMG | | | | |
| | 7/16" | NU007D10063WMG | NU007D10063NMG | | | | |
| | 1/2" | NU001A10063WMG | NU001A10063NMG | | | | |
| 6" | 1/4" | NU001B15063WMG | NU001B15063NMG | | | | |
| | 5/16" | NU005D15063WMG | NU005D15063NMG | | | | |
| | 3/8" | NU003C15063WMG | NU003C15063NMG | | | | |
| | 7/16" | NU007D15063WMG | NU007D15063NMG | | | | |
| | 1/2" | NU001A15063WMG | NU001A15063NMG | | | | |

BIT HOLDERS





| Overall length / mm | Ø D mm | 1 PCE. Construction Magnetic Type DIN 3126/E 6,3 | | 1 PCE. Construction C-Ring Type DIN 3126/E 6,3 | | 1 PCE. Construction Magnetic + C-Ring Type DIN 3126/E 6,3 | | 1 PCE. Construction Magnetic Type DIN 3126/E 6,3 | | 1 PCE. Construction C-Ring Type DIN 3126 | |
|---------------------|--------|--|----------------|--|----------------|---|------|--|------|--|--|
| | | 1/4" | 1/4" | 1/4" | 1/4" | 1/4" | 1/4" | 1/4" | 1/4" | 5.5 mm | |
| 50 | 10 | BT101005063MGT | BT101005063CRT | BT101005063MCT | | | | | | | |
| | 11 | BT101105063MGT | BT101105063CRT | BT101105063MCT | BT101105063MSC | | | | | | |
| 60 | 10 | BT101006063MGT | BT101006063CRT | BT101006063MCT | | | | | | | |
| | 11 | BT101106063MGT | BT101106063CRT | BT101106063MCT | BT101106063MSC | BT101106055CRT | | | | | |
| 75 | 10 | BT101007563MGT | BT101007563CRT | BT101007563MCT | | | | | | | |
| | 11 | BT101107563MGT | BT101107563CRT | BT101107563MCT | BT101107563MSC | BT101107555CRT | | | | | |

| Overall length / mm | Ø D mm | 2 PCS. Construction Magnetic Type DIN 3126/E 6,3 | | 2 PCS. Construction C-Ring Type DIN 3126/E 6,3 | | 2 PCS. Construction Magnetic + C-Ring Type DIN 3126/E 6,3 | | 2 PCS. Construction Magnetic Type DIN 3126/E 6,3 | | 2 PCS. Construction Magnetic + C-Ring Type DIN 3126 | |
|---------------------|--------|--|----------------|--|------|---|------|--|------|---|----------------|
| | | 1/4" | 1/4" | 1/4" | 1/4" | 1/4" | 1/4" | 1/4" | 1/4" | 5.5 mm | |
| 50 | 10 | BT201005063MGT | BT201005063CRT | BT201005063MCT | | | | | | | |
| | 11 | BT201105063MGT | BT201105063CRT | BT201105063MCT | | | | | | | |
| 60 | 10 | BT201006063MGT | BT201006063CRT | BT201006063MCT | | | | | | | |
| | 11 | BT201106063MGT | BT201106063CRT | BT201106063MCT | | | | | | | BT201106055MCT |
| 75 | 10 | BT201007563MGT | BT201007563CRT | BT201007563MCT | | | | | | | |
| | 11 | BT201107563MGT | BT201107563CRT | BT201107563MCT | | | | | | | BT201107555MCT |
| 80 | 10 | | | | | | | | | BT201008063MSG | |
| 120 | 10 | | | | | | | | | BT201012063MSG | |

| Overall length / mm | Ø D mm | 1 PCE. Construction C-Ring Type DIN 3126 | |
|---------------------|--------|--|----------------|
| | | 1/4" | 7/16" |
| 65 | 11 | BT101106511CRT | |
| | 14.3 | | BT114306511CRT |

| Overall length / mm | Ø D mm | Quick Release 2 PCS. Construction Magnetic Type DIN 3126/E 6,3 | | Quick Release 2 PCS. Construction Magnetic Type DIN 3126/E 6,3 | | Quick Release 2 PCS. Construction Magnetic Type DIN 3126/E 6,3 | | Quick Release 2 PCS. Construction Magnetic Type DIN 3126/E 6,3 | |
|---------------------|--------|---|----------------|---|----------------|---|------|---|------|
| | | 1/4" | 1/4" | 1/4" | 1/4" | 1/4" | 1/4" | 1/4" | 1/4" |
| 50 | 10.5 | BT210505063QR1 | BT210505063QR2 | BT210505063QR3 | BT210505063QR4 | | | | |
| 60 | 10.5 | BT210506063QR1 | BT210506063QR2 | BT210506063QR3 | BT210506063QR4 | | | | |
| 75 | 10.5 | BT210507563QR1 | BT210507563QR2 | BT210507563QR3 | BT210507563QR4 | | | | |
| 100 | 10.5 | BT210510063QR1 | BT210510063QR2 | BT210510063QR3 | BT210510063QR4 | | | | |
| 150 | 10.5 | BT210515063QR1 | BT210515063QR2 | BT210515063QR3 | BT210515063QR4 | | | | |

L-KEY



| Point size | ℓ x L inch | Ref. No. (short arm) | Ref. No. (short arm) |
|------------|------------|----------------------|----------------------|
| 1/20" | 0.53x1.66 | LK0120053166HH | LK0120053166BH |
| 1/16" | 0.56x1.75 | LK001D056175HH | LK001D056175BH |
| 5/64" | 0.61x1.88 | LK005F061188HH | LK005F061188BH |
| 3/32" | 0.66x2.00 | LK003E066200HH | LK003E066200BH |
| 7/64" | 0.70x2.13 | LK007F070213HH | LK007F070213BH |
| 1/8" | 0.75x2.25 | LK001C075225HH | LK001C075225BH |
| 9/64" | 0.80x2.38 | LK009F080238HH | LK009F080238BH |
| 5/32" | 0.85x2.50 | LK005E085250HH | LK005E085250BH |
| 3/16" | 0.94x2.75 | LK003D094275HH | LK003D094275BH |
| 7/32" | 1.03x3.00 | LK007F103300HH | LK007F103300BH |
| 1/4" | 1.13x3.25 | LK001B113325HH | LK001B113325BH |
| 5/16" | 1.25x3.75 | LK005D125375HH | LK005D125375BH |
| 3/8" | 1.38x4.25 | LK003C138425HH | LK003C138425BH |
| 7/16" | 1.50x4.75 | LK007D150475HH | LK007D150475BH |
| Point size | ℓ x L inch | Ref. No. (long arm) | Ref. No. (long arm) |
| 1/20" | 0.53x2.85 | LK0120053285HH | LK0120053285BH |
| 1/16" | 0.56x3.00 | LK001D056300HH | LK001D056300BH |
| 5/64" | 0.61x3.19 | LK005F061319HH | LK005F061319BH |
| 3/32" | 0.66x3.38 | LK003E066338HH | LK003E066338BH |
| 7/64" | 0.70x3.56 | LK007F070356HH | LK007F070356BH |
| 1/8" | 0.75x3.75 | LK001C075375HH | LK001C075375BH |
| 9/64" | 0.80x3.94 | LK009F080394HH | LK009F080394BH |
| 5/32" | 0.85x4.13 | LK005E085413HH | LK005E085413BH |
| 3/16" | 0.94x4.50 | LK003D094450HH | LK003D094450BH |
| 7/32" | 1.03x4.88 | LK007E103488HH | LK007E103488BH |
| 1/4" | 1.13x5.25 | LK001B113525HH | LK001B113525BH |
| 5/16" | 1.25x6.00 | LK005D125600HH | LK005D125600BH |
| 3/8" | 1.38x6.75 | LK003C138675HH | LK003C138675BH |
| 7/16" | 1.50x7.50 | LK007D150750HH | LK007D150750BH |

| Point size | ℓ x L mm | Ref. No. (short arm) | Ref. No. (short arm) |
|------------|----------|---------------------------|---------------------------|
| 1.5 | 14x45 | LK0015014045HH | LK0015014045BH |
| 2 | 16x50 | LK0002016050HH | LK0002016050BH |
| 2.5 | 18x56 | LK0025018056HH | LK0025018056BH |
| 3 | 20x63 | LK0003020063HH | LK0003020063BH |
| 4 | 25x70 | LK0004025070HH | LK0004025070BH |
| 5 | 28x80 | LK0005028080HH | LK0005028080BH |
| 6 | 32x90 | LK0006032090HH | LK0006032090BH |
| 7 | 34x95 | LK0007034095HH | LK0007034095BH |
| 8 | 36x100 | LK0008036100HH | LK0008036100BH |
| 10 | 40x112 | LK0010040112HH | LK0010040112BH |
| 12 | 45x125 | LK0012045125HH | LK0012045125BH |
| Point size | ℓ x L mm | Ref. No. (long arm) | Ref. No. (long arm) |
| 1.5 | 14x62 | LK0015014062HH | LK0015014062BH |
| 2 | 16x75 | LK0002016075HH | LK0002016075BH |
| 2.5 | 18x85 | LK0025018085HH | LK0025018085BH |
| 3 | 20x90 | LK0003020090HH | LK0003020090BH |
| 4 | 25x100 | LK0004025100HH | LK0004025100BH |
| 5 | 28x115 | LK0005028115HH | LK0005028115BH |
| 6 | 32x135 | LK0006032135HH | LK0006032135BH |
| 7 | 34x140 | LK0007034140HH | LK0007034140BH |
| 8 | 36x150 | LK0008036150HH | LK0008036150BH |
| 10 | 40x170 | LK0010040170HH | LK0010040170BH |
| 12 | 45x190 | LK0012045190HH | LK0012045190BH |
| Point size | ℓ x L mm | Ref. No. (extra long arm) | Ref. No. (extra long arm) |
| 1.5 | 14x90 | LK0015014090HH | LK0015014090BH |
| 2 | 16x100 | LK0020016100HH | LK0020016100BH |
| 2.5 | 18x112 | LK0025018112HH | LK0025018112BH |
| 3 | 20x126 | LK0003020126HH | LK0003020126BH |
| 4 | 25x140 | LK0004025140HH | LK0004025140BH |
| 5 | 28x160 | LK0005028160HH | LK0005028160BH |
| 6 | 32x180 | LK0006032180HH | LK0006032180BH |
| 7 | 34x190 | LK0007034190HH | LK0007034190BH |
| 8 | 36x200 | LK0008036200HH | LK0008036200BH |
| 10 | 40x224 | LK0010040224HH | LK0010040224BH |
| 12 | 45x250 | LK0012045250HH | LK0012045250BH |

